ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1198

# Towards Sustainable Cloud Infrastructure: Energy Optimization and Resource Management

Balakrishnan G.[1]; Uma Maheswari I. G.[2]; Vinothini S.[3]; Madhumitha K.[4]; Salomi Victoria P. K.[5]

[1]Associate Professor; [2,3,4,5]Assistant Professor
[1,2,3,4,5] Fatima Michael College of Engineering & Technology

Publication Date: 2026/11/06

**Abstract: Cloud computing has transformed the delivery of computing, storage and software services, but the concentration of workloads in large data centres creates a significant sustainability challenge. This paper proposes an Energy-Aware Green Cloud Computing Framework (EGCCF) that combines workload-aware virtualization, carbon-sensitive resource allocation, renewable-energy preference, intelligent cooling coordination, storage optimization and responsible hardware lifecycle management. The framework extends conventional green-computing practices by treating energy, carbon intensity, service quality and hardware utilization as related decision variables rather than isolated objectives. A conceptual architecture is presented in which a Green Resource Broker receives workload requirements, estimates the energy and carbon implications of candidate resources, and selects an allocation that satisfies service constraints while reducing environmental impact. The paper also identifies practical benefits, implementation challenges and evaluation measures suitable for educational institutions, enterprises and cloud providers. The proposed framework is intended as a conceptual model for future experimental implementation and does not claim measured performance results.**

***Keywords:*** *Green Cloud Computing, Energy Efficiency, Virtualization, Carbon-Aware Scheduling, Renewable Energy, Data Centres, Sustainability.*

**How to Cite:** Balakrishnan G.; Uma Maheswari I. G.; Vinothini S.; Madhumitha K.; Salomi Victoria P. K. (2026) Towards Sustainable Cloud Infrastructure: Energy Optimization and Resource Management. *International Journal of Innovative Science and Research Technology*, 11(10), 3036-3041. https://doi.org/10.38124/ijisrt/26oct1198

## I. INTRODUCTION

Cloud computing enables organizations to obtain computing resources on demand instead of maintaining all infrastructure locally. Shared infrastructure, virtualization and centralized management can improve utilization and reduce unnecessary duplication of hardware. However, cloud services depend on servers, storage, networking equipment and cooling systems that continuously consume electricity. The source papers identify energy consumption, carbon emissions, data-centre cooling and hardware lifecycle as central concerns of green computing and green cloud computing. Green computing[1] traditionally addresses the complete lifecycle of computing resources: selecting efficient equipment, managing power, reducing paper use, extending equipment life and recycling electronic waste. Green cloud computing[1] carries these principles into shared cloud infrastructure, where resource allocation and virtualization become particularly important. The recent source paper emphasizes renewable energy, optimal resource allocation and hardware lifecycle management as major strategies for reducing energy use and carbon emissions without sacrificing cloud scalability and reliability. This paper develops a new conceptual direction: an energy-aware cloud should not simply minimize electricity consumption. It should coordinate workload placement, utilization, renewable-energy availability, cooling requirements, storage efficiency and service-level constraints.

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1198




Fig 1 Distribution of Energy Efficiency

Such a coordinated approach can support a practical transition from isolated green practices to an integrated sustainability management process.

➢ *Motivation and Problem Statement*

A cloud provider may operate heterogeneous servers with different processing efficiencies, workloads with different urgency levels, and data-centre locations with different electricity and environmental conditions. If workloads are placed without considering these variables, lightly utilized servers may remain active, storage may contain redundant copies, and cooling demand may increase unnecessarily. The source literature also notes that green implementation can involve substantial cost, privacy concerns and the need to preserve performance.

Therefore, the research problem addressed here is: how can cloud resources be allocated dynamically so that energy and carbon impact are reduced while response time, availability and workload requirements remain within acceptable limits? The proposed answer is a conceptual Energy-Aware Green Cloud Computing Framework described in the following sections.

➢ *Objectives*

- Develop a conceptual architecture for energy- and carbon-aware cloud resource allocation.
- Integrate virtualization and workload consolidation with renewable-energy preference.
- Coordinate server utilization, storage efficiency and cooling-aware placement.
- Define measurable indicators for evaluating sustainability without ignoring service quality.
- Identify implementation challenges and future research directions for practical deployment.

## II. PROPOSED ENERGY-AWARE GREEN CLOUD COMPUTING FRAMEWORK

The proposed EGCCF is organized around five functional layers: workload acquisition, sustainability monitoring, green resource brokerage, infrastructure optimization and lifecycle management. The architecture adapts the green-broker concept described in the reference paper, where a broker considers cloud services and carbon-related information before resource allocation.

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1198

Table 1 Green Cloud Computing Framework

| Layer | Main function | Green decision |
|---|---|---|
| 1.Workload Layer | Collect CPU, memory, storage, latency and deadline requirements. | Classify workload as urgent, normal or deferrable. |
| 2.Monitoring Layer | Measure utilization, power, temperature and renewable-energy availability. | Estimate current energy and carbon conditions. |
| 3. Green Broker | Compare candidate virtual machines, hosts and locations. | Select resource using energy-carbon-service constraints. |
| 4.Optimization Layer | Consolidate, migrate, throttle or defer workloads. | Reduce idle capacity and unnecessary energy use. |
| 5. Lifecycle Layer | Manage hardware procurement, reuse and end-of-life disposal. | Prefer efficient, repairable and recyclable assets. |

➢ *Workload-Aware Virtualization*

Virtualization allows several logical computing environments to share physical hardware. The first source explains that consolidation through virtualization can reduce the number of active physical systems and consequently lower power and cooling demand. In EGCCF, consolidation is performed only when sufficient CPU, memory and latency capacity remains. High-priority applications are protected from aggressive consolidation, while deferrable workloads can be moved to periods or locations with lower environmental impact.

➢ *Carbon-Aware Resource Brokerage*

The Green Resource Broker acts as the decision-making component. For every incoming workload, it obtains candidate resource information such as current utilization, estimated power, renewable-energy share, cooling condition and service latency. A simple conceptual objective function is:

$$\text{Score} = \alpha E + \beta C + \gamma D + \delta R$$

Where E = energy estimate, C = carbon impact, D = delay/service penalty, and R = resource migration or reliability penalty.

The coefficients α, β, γ and δ can be configured according to organizational priorities. The expression is not presented as an experimentally validated algorithm; it is a design model for future implementation. A feasible allocation must first satisfy service constraints, after which lower environmental impact can be preferred.

➢ *Renewable-Energy Preference*

The reference paper identifies renewable-energy use and data-centre location as important green-cloud strategies. The proposed framework therefore records the availability of renewable electricity at each eligible site. Deferrable batch workloads may be scheduled when renewable availability is high, while latency-sensitive workloads can remain at a nearer location. This creates a balance between sustainability and service requirements.

➢ *Cooling-Aware Placement*

Cooling is closely connected with server utilization and heat generation. The first source notes that power and cooling must be considered together in data-centre management. EGCCF therefore treats thermal conditions as an allocation input. Instead of concentrating all workloads on a small number of machines regardless of temperature, the broker can select a balanced placement that avoids thermal hotspots and unnecessary cooling demand.

## III. RESOURCE OPTIMIZATION STRATEGIES

➢ *Dynamic Consolidation and Server Sleep States*

A basic green strategy is to reduce the number of active machines when workload demand falls. The framework periodically checks utilization and identifies hosts whose workloads can be migrated safely. Eligible hosts are consolidated, and unused servers can enter low-power or sleep states. This extends the power-management principle described in the green-computing source, which recommends turning systems off during extended inactivity and using power-management features during shorter idle periods.

To avoid excessive migration energy, consolidation should be triggered only when the expected energy saved during the subsequent operating period is greater than the energy required for migration. This condition is important because a sustainability mechanism should not create a new energy cost that exceeds its benefit.

➢ *Energy-Efficient Storage*

Cloud storage can contain multiple copies of identical or rarely accessed data. The reference paper identifies deduplication as a way to remove redundant information and reduce storage requirements and associated energy demand. In EGCCF, storage optimization includes deduplication, tiering and archival policies. Frequently accessed data can remain on high-performance storage, while cold data can be moved to energy-efficient archival tiers according to organizational retention policies.

➢ *Network and Data Transfer Awareness*

Cloud sustainability should not be limited to servers. Data movement requires network equipment and can increase workload completion time and energy use. The broker can therefore include data locality in its placement decision. If two compute resources have similar energy characteristics, preference can be given to the resource closer to the required dataset, provided that privacy and availability requirements are satisfied.[3]

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1198

➢ *Hardware Lifecycle Management*

Green computing includes environmentally responsible procurement, reuse and recycling. The first source recommends environmentally sound purchasing and responsible recycling of electronic equipment.

The green-cloud source further notes that extending the life of existing PCs and using thin clients can reduce e-waste. EGCCF incorporates these practices by maintaining an asset lifecycle record containing acquisition date, efficiency class, repair history, utilization and end-of-life status.





Fig 2 Feasibility of New Data Centers –Analysis

➢ *IEA Perspective on Data Centre Energy Consumption*

According to the International Energy Agency (IEA) discussion cited in the supplied Green Cloud Computing paper, data centres consume a significant amount of electricity worldwide. The paper states that data centres account for approximately 1–1.5% of total global electricity consumption. In 2021, global data-centre electricity consumption was estimated at around 220–320 TWh, representing approximately 0.9–1.3% of worldwide electricity demand**.** The increasing use of cloud computing, online services and digital infrastructure is expected to further increase the demand for data-centre resources. Major sources of energy consumption include servers, storage systems, networking equipment and cooling systems. Consequently, increasing electricity consumption can contribute to greenhouse-gas emissions, particularly when electricity is generated from fossil fuels. Green cloud computing aims to address this challenge through energy-efficient infrastructure, virtualization, intelligent resource management, renewable-energy integration and efficient cooling. Therefore, improving data-centre energy efficiency is an important step toward reducing the environmental impact of expanding cloud services and achieving sustainable computing.[4]

## IV. GOOGLE CLOUD SUSTAINABILITY AND CARBON-FREE ENERGY INITIATIVES

According to the supplied Green Cloud Computing paper, Google Cloud is presented as an example of a major cloud provider involved in sustainability initiatives. The paper highlights Google's commitment to reducing the environmental impact associated with cloud computing through sustainable operations and the use of cleaner energy. Its sustainability approach focuses on improving energy efficiency in data centres and increasing the use of

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1198

renewable or carbon-free energy sources. By combining energy-efficient infrastructure with renewable-energy initiatives, Google Cloud aims to reduce the carbon footprint of its cloud services. Such initiatives demonstrate how large-scale cloud providers can contribute to environmentally sustainable computing while continuing to support the growing demand for digital and cloud-based services.

➢ *Evaluation Metrics*

A future implementation of EGCCF should evaluate both environmental and computing outcomes. Measuring only energy consumption may encourage aggressive consolidation that harms performance. Conversely, measuring only performance can hide sustainability improvements. The following metrics provide a balanced evaluation set:

Table 2 Evaluation Metrics

| Metric | Purpose | Possible measurement |
|---|---|---|
| Energy per workload | Measures computing energy efficiency. | kWh per completed job/request |
| Carbon intensity | Measures environmental impact of electricity used. | $gCO_2e$ per workload |
| Server utilization | Measures effectiveness of consolidation. | Average CPU/memory utilization |
| SLA performance | Ensures sustainability does not violate service requirements. | Latency, response time, availability |
| Migration overhead | Captures cost of optimization. | Energy/time consumed by VM migration |
| Renewable-energy share | Measures use of cleaner electricity. | Percentage of workload energy matched to renewable supply |
| E-waste reduction | Measures lifecycle benefit. | Hardware reused/recycled or useful life extended |

➢ *Expected Benefits*

- Lower energy consumption through workload consolidation and power-aware operation.
- Reduced carbon impact through renewable-energy preference and carbon-aware placement.
- Improved infrastructure utilization by sharing physical resources through virtualization.
- Reduced storage overhead through deduplication and tiered data management.
- Reduced electronic waste through equipment reuse, longer lifecycles and responsible recycling.
- Better operational visibility through combined energy, carbon, utilization and SLA monitoring.

## V. CHALLENGES AND PRACTICAL CONSIDERATIONS

➢ *Performance and Sustainability Trade-off*

Energy reduction cannot be treated as the only objective. Workloads may have strict response-time, availability or processing requirements. The framework therefore places service constraints before optimization. This follows the concern in the reference literature that green cloud services should reduce environmental impact without sacrificing scalability, performance and dependability. [2]





Fig 3 Survey on Cloud Storage

➢ *Privacy and Data Governance*

Moving computation and data among cloud resources can introduce privacy and governance concerns. The reference paper explicitly identifies privacy as a major challenge because cloud providers may have increased control over organizational data. A practical EGCCF deployment should therefore include access control, encryption, data-location policies and auditable migration decisions.

➢ *Cost of Green Infrastructure*

Energy-efficient hardware, renewable-energy systems, advanced cooling and monitoring platforms can require significant initial investment. The reference paper identifies cost as a barrier, particularly for smaller organizations.

A phased implementation can reduce this barrier: begin with software-based monitoring and power management, then introduce virtualization optimization, storage efficiency and renewable-energy integration as resources permit.

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1198

➢ *Measurement and Data Quality*

Accurate sustainability decisions depend on reliable measurements. Power estimates, carbon-intensity information, workload utilization and cooling conditions can vary over time. A future implementation should therefore use standardized measurement intervals, maintain historical records and report uncertainty rather than treating every estimate as exact.

- *Sustainability Initiatives*

According to the supplied Green Cloud Computing paper**,** Amazon Web Services (AWS) is identified as one of the major cloud service providers undertaking sustainability initiatives. AWS focuses on improving the energy efficiency of cloud infrastructure and reducing the environmental impact associated with data-centre operations. The paper presents such initiatives as part of the broader movement toward greener cloud computing. Through efficient use of computing resources, sustainable data-centre practices and efforts to reduce carbon emissions, AWS demonstrates how cloud providers can support environmental sustainability while meeting increasing demand for cloud services. [5]

- *Microsoft – Climate and Carbon-Negative Initiatives*

The supplied paper identifies Microsoft as another major technology company associated with sustainability and environmental initiatives. Its discussion highlights the importance of reducing carbon emissions from cloud and data-centre operations [6]. Microsoft's climate-oriented efforts are presented within the broader context of making cloud computing more environmentally responsible. These initiatives demonstrate the role of large cloud providers in reducing their carbon footprint and supporting the transition toward sustainable computing practices.

- *IBM – Net-Zero and Renewable-Energy Commitments*

The supplied Green Cloud Computing paper also mentions IBM in connection with sustainability commitments in the cloud-computing sector. IBM's initiatives reflect the growing emphasis on reducing environmental impact, improving energy efficiency and increasing the use of cleaner energy sources. Such commitments support the objective of reducing carbon emissions associated with computing infrastructure and moving toward more sustainable cloud services. [7]The paper uses IBM, along with other major cloud providers, as an example of how the technology industry is addressing environmental challenges through sustainability-oriented practices

## VI. FUTURE RESEARCH DIRECTIONS

The conceptual framework can be extended into an experimental platform using real or simulated cloud workloads. Future research can investigate machine-learning-based workload prediction, reinforcement-learning-based placement, carbon-intensity forecasting, renewable-energy forecasting and thermal-aware scheduling. Another direction is a multi-cloud implementation in which the broker compares geographically distributed providers. Such research should evaluate not only energy savings but also SLA violations, migration overhead, network traffic, cost and data-governance implications.

A further research opportunity is to develop a Green Cloud Digital Dashboard that presents energy consumption, carbon intensity, renewable-energy utilization, server consolidation, storage efficiency and e-waste indicators in a common view. This can help organizations move from general sustainability claims to measurable operational targets.

## VII. CONCLUSION

Green cloud computing provides a pathway for aligning the growth of cloud services with environmental responsibility. The reviewed sources emphasize energy efficiency, virtualization, renewable energy, resource allocation, cooling management, and responsible hardware use and e-waste reduction as important components of green computing and green cloud practice.

This paper proposed the Energy-Aware Green Cloud Computing Framework, in which a Green Resource Broker coordinates workload requirements with energy, carbon, renewable-energy, thermal and lifecycle information. The framework is intentionally presented as a conceptual research model; its effectiveness must be established through implementation and controlled experiments. The central principle is that sustainable cloud computing should be measurable and service-aware: energy and carbon reduction should be pursued together with acceptable performance, reliability, privacy and cost. Such an integrated approach can provide a practical foundation for future green-cloud research and institutional cloud deployments.

## REFERENCES

[1]. Jagadeesh, U., and Anwar Abdullah, "Abstract of Green Computing," International Journal of Trend in Research and Development (IJTRD), Special Issue, National Conference on Innovations and Research in Cloud Computing, 2017. (Source paper supplied by the user.)

[2]. Prangya Prachi Samantaray, Arati Pradhan and Sss Mamataj Swain, "Green Cloud Computing: Sustainability, Applications And Challenges," International Journal of Creative Research Thoughts (IJCRT), Vol. 12, Issue 7, 2024. (Source paper supplied by the user.)

[3]. International Energy Agency (IEA), data-centre energy and emissions discussions cited in the supplied green-cloud paper.

[4]. Google Cloud, sustainability and carbon-free energy initiatives, as cited in the supplied green-cloud paper.

[5]. Amazon Web Services, sustainability initiatives, as cited in the supplied green-cloud paper.

[6]. Microsoft, climate and carbon-negative initiatives, as cited in the supplied green-cloud paper.

[7]. IBM, net-zero and renewable-energy commitments, as cited in the supplied green-cloud paper.