ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

Review on Advancements in Fingerprint Analysis: From Historical Developments to Modern Deep Learning Applications

Phebe Tryphena I.[1]; Dr. Priyadharshi Pradhan[2]; Dr. G. Jayanthi[3]; S. Raghuraghavendra[4]

[1]PhD Student, Forensic Medicine and Toxicology, Sri Ramachandra Medical College, Porur, Chennai, India,
[2]Professor & HOD, Forensic Medicine and Toxicology, Sri Ramachandra Medical College, Porur, Chennai, India,
[3]Associate Professor, Faculty of Engineering and Technology, Sri Ramachandra Institute of Higher Education and Research (DU), Porur, Chennai, India,
[4]B.Tech., MSc Forensic Science (Anglia Ruskin University Cambridge, UK), Managing Partner Forensic and Biometric Investigation Services (FBIS), Chennai

Publication Date: 2026/11/07

Abstract: The evolution of fingerprint analysis traces its roots from the early studies by Marcello Malpighi in the 17th century to its crucial role in modern forensic science. Over time, significant advancements in technology, particularly in image processing and machine learning, have revolutionized fingerprint analysis. This paper explores the historical development of fingerprint analysis, the importance of digital processing, and the role of Automated Fingerprint Recognition Systems (AFRS). It further delves into the significance of noise removal and image-denoising techniques, highlighting the impact of state-of-the-art methods such as Convolutional Neural Networks (CNNs) and Generative Adversarial Networks (GANs). The integration of deep learning techniques has significantly enhanced fingerprint-matching accuracy, speed, and reliability, marking a pivotal shift in forensic investigations and biometric authentication.

Keywords: *Fingerprint Analysis, Digital Processing, Automated Fingerprint Recognition System (AFRS), Noise Removal, Image Denoising, Convolutional Neural Networks (CNNs), Generative Adversarial Networks (GANs), Deep Learning, Biometric Authentication, Forensic Science.*

How to Cite: Phebe Tryphena I.; Dr. Priyadharshi Pradhan; Dr. G. Jayanthi; S. Raghuraghavendra (2026) Review on Advancements in Fingerprint Analysis: From Historical Developments to Modern Deep Learning Applications. *International Journal of Innovative Science and Research Technology*, 11(10), 3166-3178. https://doi.org/10.38124/ijisrt/26oct1428

I. INTRODUCTION

The historical evolution of fingerprint analysis highlights the journey from early observations to its crucial role in modern forensic science. In the 17th century, Italian physician Marcello Malpighi studied the unique and permanent patterns of fingerprints [1]. In the late 19th century, British physician Henry Faulds proposed fingerprints for criminal identification, recognising the potential of fingerprints as a means of individual identification [2]. Ultimately, this idea was furthered by Sir Francis Galton, who established foundational fingerprint characteristics for understanding the class and individual characteristics found within fingerprints. in 1882 [3]. Practical application in criminal investigations became prominent in the 20th century with the development of Automated Fingerprint Recognition Systems (AFRS), revolutionising law enforcement with reliable information in their criminal investigations [4].

Fingerprints, unique and resistant to alteration, became vital in forensic investigations. Issues like poor image quality due to environmental factors and the need for noise removal to extract valuable information from fingerprint images have been persistent hurdles. Over time, advancements in technology, particularly in image processing and machine learning, have significantly enhanced the field of fingerprint analysis. Deep learning models, especially Convolutional Neural Networks (CNN), have shown promise in effectively analyzing, reconstructing, and matching fingerprint images, contributing to the accuracy and efficiency of identification processes. [5]

- *Digital Processi N G Steps for Fingerprint Analysis*

Digital processing stands as a crucial phase in fingerprint analysis, harnessing technological advancements to refine, extract, and interpret fingerprint data for forensic investigations. This article delves into the importance, core

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

steps, and ramifications of digital processing in fingerprint analysis.

➢ *Significance of Digital Processing: -*

Digital processing maximises the utility of fingerprint evidence in forensic inquiries. It unveils latent prints, enhances image quality, and extracts pivotal features crucial for identification and matching. Additionally, it streamlines the manipulation, analysis, and comparison of fingerprints, expediting investigative processes.

➢ *These are the Following Key Steps in Digital Processing: -*

- Image Enhancement: This is initiated by enhancing fingerprint image quality through contrast adjustments, noise reduction, and sharpening to augment the visibility and clarity of latent prints. [6]
- Ridge Structure Extraction: Algorithms identify ridge structures and minutiae points, delineating unique fingerprint patterns through ridge orientation estimation, thinning, and minutiae extraction. [6] [7]
- Feature Extraction: Crucial features like ridge ending, bifurcation, and ridge counts are extracted, serving as distinct identifiers aiding individualization and matching. [6] [7]
- Template Creation: Extracted features generate a digital fingerprint template crucial for comparison and matching with other records. [6]
- Matching and Comparison: Facilitates template comparison, analysing similarities and differences to identify potential matches, aiding in suspect identification or evidence association. [6]
- Database Search: Utilizes known fingerprint databases, performing searches to identify associations between collected prints and existing records, aiding criminal investigations. [6]




Fig 1 A Flowchart of the Steps Involved in Digital Processing.

II. LITERATURE SURVEY

➢ *Significance of Fingerprints in Forensic Investigation*

Fingerprints, with their unique patterns and indelible nature, stand as one of the most crucial aspects of forensic investigations. Their significance lies not just in their distinctiveness but also in their irreplaceable role in establishing identity, linking individuals to crime scenes, and aiding justice systems worldwide. [8]

At the core of their importance is the fundamental principle that no two fingerprints are alike. This inherent uniqueness forms the basis for their use in forensic science. The distinct ridges, loops, arches, and minutiae present in fingerprints create an intricate pattern that remains constant throughout a person's life. This permanence and individuality form the bedrock of their significance in forensic investigations. [8]

Forensic investigations often rely on physical evidence to unravel mysteries and establish the identity of individuals involved in a crime. Fingerprints, as a form of physical evidence, are frequently found at crime scenes, whether in the form of patent prints—visible impressions left behind by substances like blood, ink, or grease—or latent prints, which are invisible to the naked eye and require enhancement techniques for visualization. [9]

The recovery and analysis of fingerprints from crime scenes serve multiple purposes. They can establish the presence of an individual at a particular location, corroborate witness testimonies, or link a suspect directly to the commission of a crime. Additionally, fingerprints serve as a means of excluding innocent individuals from suspicion, aiding in the elimination process during investigations. [8] [9]

The reliability and accuracy of fingerprint identification have solidified their role as a gold standard in forensic science. Automated Fingerprint Recognition Systems (AFRS) have streamlined the process of comparing and matching fingerprints, creating vast databases that aid law enforcement agencies in identifying suspects, solving crimes, and preventing wrongful convictions. [10]

Moreover, fingerprints are resistant to alteration, making them a robust form of evidence. Even attempts to disguise or alter fingerprints are typically unsuccessful, as the fundamental ridge patterns remain intact, allowing forensic experts to identify and analyze them. [8]

The significance of fingerprints in forensic investigations extends beyond the realm of criminal justice. They play a pivotal role in civil identification, aiding in personal identification during disasters, accidents, or mass casualties, ensuring accurate identification for administrative and legal purposes.

Technological advancements, particularly in image processing and machine learning, have further enhanced the analysis and utilization of fingerprints in forensic science. Deep learning models, such as Convolutional Neural

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

Networks (CNN), have improved the accuracy and efficiency of fingerprint identification, aiding forensic experts in analyzing and matching fingerprints more effectively. [11]

In essence, the significance of fingerprints in forensic investigations is unparalleled. Their unique, unchanging nature and their presence as physical evidence make them an indispensable tool for law enforcement, serving as a cornerstone in establishing identities, solving crimes, and upholding justice.

➢ *Types of Fingerprint Impressions*

Fingerprints, the distinct patterns formed by ridges and valleys on the skin's surface, are classified into various types based on their characteristics. These classifications, stemming from the arrangement and structure of ridge patterns, serve as a vital framework for forensic analysis and identification. The different types of fingerprint impressions include patent prints and latent prints, each with its own distinct attributes and significance in forensic investigations.

- *Patent Prints:*

Patent prints encompass visible impressions left by substances like ink [Figure 2], blood, grease [Figure 3], or dirt, often discovered at crime scenes. While they are visible, chemical processing is sometimes needed to enhance their visibility and contrast [Figure 4].[6] These prints, categorised based on the materials forming them (e.g., bloody, inked, or from other substances), provide immediate visual evidence and can be directly collected using conventional methods like lifting or photography.




Fig 2 A Fingerprint Impression Collected on Ink[6]



Fig 3 A Greasy Fingerprint Impression on the Tablet Screen [6]



Fig 4 A Bloody Fingerprint Developed with Amido Black (A Chemical Reagent)[6]

In the Journal of Forensic Identification (2018), Ashley Sellenraad's case study highlights the identification of three patent fingerprints as forgeries on separate checks. An experiment using friction ridge skin and black printers' ink demonstrated the skin's pliability, making exact print replication challenging, particularly around the edges. This aligns with discrepancies observed in the submitted patent prints. The analysis suggested the use of a stamp to deposit these fraudulent prints on the checks. This finding underscores the importance of meticulous scrutiny and experimentation in exposing forged patent prints, shedding light on the challenges inherent in replicating natural impressions for criminal activities [11]

- *Latent Prints:*

In contrast to patent prints, latent prints are invisible to the naked eye and require enhancement methods for visualisation. These impressions are formed by the natural oils, sweat, and other residues present on the skin's surface. Latent prints are often left unintentionally and can be found on various surfaces, including glass, metal, paper, or plastic. Recovering latent prints involves specialised techniques like powder dusting [Figure 5], chemical treatments [Figure 4], or the application of alternate light sources to make the prints visible for collection and analysis [Figure 6]. [12]



Fig 5 A Fingerprint Impression Developed Using Dusting Powder[6]

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428




Fig 6 A Fingerprint Impression Visualised Using a Fluorescent Dye Stain and an Orange Alternate Light Source[6]

The study on Latent Fingerprint Matching delves into the challenges of identifying latent fingerprints left unintentionally at crime scenes. Unlike plain or rolled fingerprint matching, latent fingerprint identification poses difficulties due to poor ridge impressions, limited finger area, and substantial nonlinear distortion. To address this, a system is proposed for matching latent fingerprints to enrolled rolled fingerprints in law enforcement databases. This system incorporates minutiae and extends to utilize additional features like the singularity, ridge quality map, ridge flow map, ridge wavelength map, and skeleton. Testing against databases comprising 29,257 rolled fingerprints revealed a significant enhancement in identification rates, from a baseline of 34.9% to 74% when utilizing these extended features. The study systematically evaluates the importance of each extended feature, highlighting singularity, ridge quality map, and ridge flow map as the most impactful in elevating matching accuracy, offering crucial insights for forensic fingerprint analysis. [13]

Within the realm of latent prints, there are specific classifications based on the impression's quality and distinctiveness:

- ✓ Visible Latent Prints: These are faint impressions that might become visible under certain lighting conditions or angles without enhancement methods.
- ✓ Plastic Prints: Formed when the fingers leave an impression in a soft or malleable material like putty, wax, or clay.
- ✓ Corrosion Prints: Occur when the natural oils on fingertips corrode surfaces like metal, leaving identifiable impressions.
- ✓ Latent Prints on Porous Surfaces: These prints are left on materials like paper or cardboard and are more challenging to recover due to the surface's absorbent nature.

Understanding these types of fingerprint impressions is crucial for forensic experts. The ability to differentiate between patent and latent prints, along with their subcategories, allows for efficient collection, enhancement, and analysis of fingerprint evidence at crime scenes. Moreover, these classifications aid in the development and improvement of techniques and technologies used in fingerprint recovery and identification. [12]

Advancements in forensic science, particularly in image processing and machine learning, continue to refine the methods for recovering and analyzing latent prints. Deep learning models and sophisticated algorithms contribute to more accurate and efficient identification processes, further elevating the significance of fingerprint impressions in forensic investigations. Ultimately, the classification and analysis of these impressions remain a cornerstone of modern forensic science, enabling the identification and resolution of criminal cases worldwide. [11]

- ➢ *Automated Fingerprint Recognition System (AFRS)*

Automated Fingerprint Recognition Systems (AFRS) have revolutionized forensic science and law enforcement by automating the collection, storage, and analysis of fingerprints. These systems, which evolved from manual cataloguing practices, now use sophisticated digital databases and algorithms to streamline the identification process, significantly reducing time and human intervention.

Despite their advancements, AFRS face challenges such as non-linear distortion, poor-quality images, and overlapping fingerprints. Degradation and distortion in fingerprints from crime scenes complicate reconstruction and matching with databases. Technological limits affect the recognition of partial fingerprints, leading to false identifications.

Ongoing research integrating AI, deep learning, and machine learning aims to improve image quality, database management, and algorithm precision.

The study on Partial Fingerprint Matching through Region-Based Similarity highlights the persistent challenge of recognizing incomplete or fragmented fingerprints. Fingerprint scanners capture only segments of Fingerprints and the processing of latent prints, often partial and of poor quality, necessitate specialized recognition techniques. Traditional minutiae-based methods struggle with these partial prints, prompting the need for independent, robust matching techniques. This research proposes a region-based approach, comparing fingerprints pixel by pixel using correlation coefficients. By considering the entire fingerprint, this method overcomes the limitations of minutiae-based recognition, offering promising results for accurate partial and complete fingerprint identification. The technique employs simple yet effective metrics to compute local similarities, aggregating them into a global score, mitigating the impact of local similarities' distribution skew. Extensive testing using the Fingerprint Verification Competition (FVC) dataset demonstrates the method's superiority over existing literature techniques. [14]

The continuous evolution of AFRS highlights technological innovation in forensic science, striving to overcome inherent challenges and improve identification processes' accuracy, reliability, and speed. These advancements reinforce AFRS's critical role in ensuring justice and maintaining law and order globally.

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

➢ *Aadhar's Fingerprint Registration: Technological, Security, and Legal Perspectives*

The Aadhar program, launched by the Government of India in 2009, aimed to establish a unique identity system for every citizen. Aadhar's primary feature is its reliance on biometric data, including fingerprints, to create a digital identity for each individual. The system ensures the inclusion of marginalized communities who often lack traditional identity documentation. Fingerprint analysis has played a critical role in this process, providing a robust, costeffective, and scalable solution to create a unique identifier. [15]

The historical foundation of fingerprint analysis dates back to the late 19th century when Sir Francis Galton and others recognized fingerprints' potential for personal identification. By the early 20th century, it became widely accepted for forensic applications.

Aadhar's deployment of fingerprint analysis builds on these historical techniques but is integrated into a modern technological infrastructure that enables mass biometric registration. [16]

- *Aadhar's Biometric System Design*

Aadhar's fingerprint biometric system is designed with several layers of security:

✓ Unique Identification: Each individual's fingerprint data, along with other biometric information (iris scans), is collected and linked to a 12-digit unique identification number (UID). This creates a nonreplicable digital identity. [17]

✓ Multifactor Authentication: Beyond fingerprints, Aadhar integrates additional security layers, including demographic data, mobile phone numbers, and OTP (one-time password) systems to verify user identity. [17]

✓ Encryption: Collected biometric data is encrypted at the source, ensuring that sensitive information is protected from interception during transmission to the Aadhar database. Secure transmission protocols (such as SSL) are used to enhance protection against data breaches. [17]

✓ Anti-Spoofing Mechanisms: To avoid falsification or use of forged fingerprints, Aadhar employs antispoofing technologies that differentiate between live fingerprints and replicas. [17]

- *Technological Framework and Governance*

The technological framework of Aadhar is built on a massive biometric infrastructure. Fingerprints are captured through specialised scanners and stored in secure data centres maintained by the Unique Identification Authority of India (UIDAI). The system employs large-scale distributed databases, real-time processing capabilities, and powerful matching algorithms. [18]

Governance of this biometric framework is guided by the UIDAI, which operates under the Ministry of Electronics and Information Technology. UIDAI is responsible for overseeing the security, privacy, and operational aspects of the biometric system, ensuring compliance with established regulations and standards [Figure 7]. [19]




Fig 7 The Technological Framework of Aadhar

- *Security and Privacy Concerns*

Despite the advantages, the Aadhar fingerprint system has faced criticism regarding data security and privacy:

✓ Data Breaches: Critics have raised concerns about potential data breaches, particularly given the scale of the Aadhar system. Compromising such data could lead to identity theft, financial fraud, and misuse of personal information. [20]

✓ Privacy Violations: The centralized nature of the Aadhar database has led to concerns about state surveillance and misuse of personal biometric information for purposes other than identity verification. [20]

✓ Data Access: While biometric data is encrypted, there are concerns that certain government agencies or private

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

entities may gain unauthorised access to individuals' personal information. [20]

To mitigate these risks, there are enhancements to the current security framework, including adopting advanced encryption standards, implementing multifactor authentication, and conducting regular security audits. These measures aim to bolster the security posture of Aadhar, addressing gaps that could lead to unauthorised access or exploitation of sensitive biometric information. [21]

- *Biometric Authentication Challenges*

The effectiveness of Aadhar is critically assessed by delving into the technical challenges faced in fingerprint recognition, such as variations in fingerprint quality and the occurrence of false positives or negatives. While Aadhar's biometric system is generally robust, its performance can be hindered by factors like poor fingerprint quality, often caused by factors such as dirt, cuts, skin conditions, or the worn fingerprints of manual labourers and elderly individuals, can lead to misidentifications or rejection during authentication. [22]

- *Legal and Ethical Implications*

The Aadhaar system operates under a legal framework established primarily by the Aadhaar Act, 2016, which provides the legal backing for the collection, handling, and sharing of biometric data. This legislation outlines protocols to safeguard data integrity and prevent misuse, addressing the growing concerns about privacy and data security in India. However, despite the legal backing, gaps remain in the Aadhaar Act, particularly in areas related to privacy and the ethical handling of biometric information [23].

In 2017, a landmark ruling by the Supreme Court of India recognized the right to privacy as a fundamental right. This ruling compelled the government to enforce stricter safeguards for personal data, including biometric information like fingerprints, which are a crucial component of Aadhaar. The ruling significantly impacted the legal landscape surrounding the use of biometrics in Aadhaar, requiring enhanced protections to ensure that citizens' privacy is not compromised [24].

Additionally, the Personal Data Protection Bill, which is currently under review, aims to address issues surrounding the collection, storage, and usage of biometric data, including fingerprints. The bill seeks to establish ethical standards for data handling and ensure that individual's rights are respected throughout the Aadhaar system's data lifecycle. It is designed to mitigate risks such as data breaches and unauthorised access, which have raised concerns about the overall reliability and security of Aadhaar's biometric authentication process [25].

A critical exploration of these legal challenges can be found in the paper "Biometric Data, Identification, and Authentication in India - Legal Framework, Challenges and Impact." The authors critique the adequacy of current legal protections under the Aadhaar Act and the Indian Personal Data Protection Bill, identifying significant gaps, especially in relation to privacy protection, data minimization, and consent mechanisms. The paper argues that stronger legal safeguards are necessary to protect individual rights and suggests amendments to existing laws to enhance transparency, enforce stricter data protection standards, and establish independent oversight bodies [21]

By addressing these gaps, the Aadhaar system can better balance the need for efficient identification with the imperative to safeguard individual privacy and data security. Implementing the recommended legal reforms and security enhancements will strengthen public trust in Aadhaar as a secure digital identity platform, while ensuring that biometric data is collected and used ethically [21].

➢ *Importance of Noise Removal in Fingerprint Analysis*

Noise in fingerprint images refers to unwanted distortions that obscure ridge patterns, impacting the accuracy and reliability of identification processes. Removing noise is crucial for accurate fingerprint analysis, as it aids in extracting essential ridge and minutiae information necessary for proper identification. Fingerprint images often contain noise introduced during the acquisition process or due to environmental factors, which can result in false positives or negatives in forensic investigations. By removing this noise, the accuracy and reliability of fingerprint identification are significantly improved, enhancing the performance of Automated Fingerprint Recognition Systems (AFRS) and ensuring consistent comparisons across multiple samples. Advanced noise removal techniques, supported by image processing and machine learning, help preserve critical features while eliminating irrelevant elements.

Studies such as "Analysis of Proposed Noise Detection & Removal Technique in Degraded Fingerprint Images" underscore the significance of high-quality images in recognition processes. This research analyzes and compares noise removal techniques like histogram equalization, median filtering, and Fourier transform. Peak signal-to-noise ratio (PSNR) measurements validate the enhancement of fingerprint image quality.

Studies such as "Analysis of Proposed Noise Detection & Removal Technique in Degraded Fingerprint Images" highlight the importance of achieving high-quality images for accurate fingerprint recognition. This research evaluates noise removal techniques like histogram equalisation, median filtering, and Fourier transform, using peak signal-to-noise ratio (PSNR) measurements to validate improvements in fingerprint image quality. [26]

Similarly, the study "Fingerprint Image Enhancement Method Using Directional Median Filter" introduces an innovative method combining Anisotropic Filter and directional median filter (DMF) to effectively reduce noise and enhance fingerprint images. Tests conducted on FVC2002 images demonstrate that this method performs better than other techniques in enhancing fingerprint image quality, making it a valuable contribution to biometric image processing. [27]

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

- *Image Correction Methods:*

Building on the importance of noise reduction, various Image Correction Methods are employed to improve the quality of fingerprint images captured during the scanning process. These methods include: [28]

- ✓ Image Enhancement: Techniques such as histogram equalization, contrast stretching, and noise reduction are applied to enhance the visual clarity of fingerprint images. This process highlights the ridges and valleys crucial for matching algorithms. [29]
- ✓ Minutiae Detection : Detecting specific fingerprint features, like ridge endings and bifurcations, is critical in biometric systems. Advanced filtering techniques help isolate these minutiae points even in degraded or low-contrast images. [30]
- ✓ Fourier Transform: Fourier-based image correction assists in frequency-domain filtering, reducing noise while preserving important features in the image. [31]
- ✓ Gabor Filters: These filters are commonly used in fingerprint image correction due to their ability to enhance ridge patterns across various orientations and frequencies, making them particularly useful for improving images with partial or smudged fingerprints. [32]
- ✓ Contextual Image Correction: Context-aware algorithms analyse the surrounding areas of the fingerprint to correct distortions or fill in missing data, improving overall image accuracy for authentication. [33]

➢ *Image Denoising Techniques in Forensic Imaging:*

Image denoising techniques in forensic imaging serve as indispensable tools for enhancing the quality and clarity of fingerprint images, facilitating accurate analysis and identification processes. These techniques are essential in eliminating unwanted noise, distortions, or imperfections that obscure crucial information encoded within fingerprint impressions. Employing advanced denoising methods is crucial in forensic science, ensuring reliable and accurate analysis of fingerprint images in criminal investigations.

- *Importance of Image Denoising:*

In forensic imaging, the primary goal of denoising techniques is to enhance the quality of fingerprint images by removing unwanted elements without compromising the integrity of the essential ridge patterns and minutiae. Denoising plays a pivotal role in preserving critical details while eliminating noise caused by environmental factors, poor image acquisition, or degradation.[34]

- *Types of Denoising Techniques:*

Several denoising techniques are employed in forensic imaging, including:

- ✓ Filter-Based Techniques: Filters such as median, Gaussian, or Wiener filters are used to remove noise while preserving important image features. These filters are applied based on the specific characteristics of the noise and the image. [35]
- ✓ Wavelet-Based Methods: Wavelet transforms decomposes the image into different frequency bands, allowing for noise reduction in specific frequency components while retaining essential details. [35]
- ✓ Statistical Approaches: Statistical models, like the non-local means algorithm, leverage the similarities among image patches to effectively remove noise while preserving the underlying structure. [35]
- ✓ Deep Learning-Based Denoising: Deep neural networks, especially Convolutional Neural Networks (CNNs), have shown promise in automatically learning and removing noise from fingerprint images, producing high-quality denoised outputs. [35]

➢ *State-of-The-Art in Fingerprint Image Enhancement*

The realm of fingerprint image enhancement has undergone significant advancements, propelled by technological in novation sand research breakthroughs. State-of-the-art techniques in this field aim to improve fingerprint image quality, clarity, and usability, playing a pivotal role in forensic science and law enforcement. These cuttingedge methods leverage sophisticated algorithms, machine learning, and deep learning approaches to enhance the accuracy and reliability of fingerprint analysis. [36] [37]

III. DEEP LEARNING-BASED ENHANCEMENT

Deep learning, particularly Convolutional Neural Networks (CNNs), has introduced a transformative wave in the realm of fingerprint image enhancement.

These CNNs have showcased unparalleled proficiency in autonomously discerning and extracting intricate features from fingerprint images. This capability allows them to efficiently eliminate noise, accentuate finer details, and refine ridge patterns, consequently enhancing the overall quality of the fingerprint images. The adaptability of these models empowers them to process images dynamically, resulting in improved image quality while safeguarding the crucial characteristics inherent in fingerprint impressions. [38]

In the realm of biometrics, where the analysis of individual identities based on behavioral or physical traits holds substantial importance, fingerprint recognition stands out as a leading modality. This research underlines the pivotal role played by fingerprint recognition, extensively utilized across diverse sectors such as civil, defense, and commercial domains. The study introduces an innovative methodology integrating Gabor filters for feature extraction and employing CNNs for classification in fingerprint authentication. Notably, the preprocessing phase encompasses histogram equalization, Gabor filtering, and fingerprint thinning techniques to extract distinctive features. Moreover, the research introduces a groundbreaking Gabor based CNN network designed specifically to address the challenge of rotational robustness encountered in traditional CNN models. [38]

Remarkably, this novel Gabor-based CNN demonstrates exceptional performance by achieving an outstanding validation accuracy of 99.33% after undergoing 64 epochs. The results significantly surpass previous benchmarks set on the same dataset, exhibiting superior efficacy and a commendable ability to maintain consistency in the face of

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

rotational variations. The deployment of this innovative Gabor-based CNN represents a significant leap forward in the domain of fingerprint recognition, signifying a breakthrough in both effectiveness and adaptability. [38]

- *Generative Adversarial Networks (GANs):*

Generative Adversarial Networks (GANs) have emerged as a highly promising avenue for fingerprint image enhancement, revolutionizing the field with their capacity to produce superior denoised images. Comprising two adversarial models—the generator and discriminator—GANs collaboratively generate refined fingerprint images, surpassing traditional enhancement methods in efficacy and quality. [39]

In the study titled "GAN-enable Latent Fingerprint Enhancement Model for Human Identification System," the quest for an effective human identification system to address societal crimes emphasizes the utilization of latent fingerprint biometric traits. These latent fingerprints, acquired from various surfaces, pose challenges due to excessive noise, dullness, blurriness, and unclear image features, undermining identification accuracy. The research addresses these limitations by proposing a Generative Adversarial Network (GAN)based approach. This model significantly enhances the identification rate compared to existing techniques, elevating the identification rate from a mere 10.7% in raw images to a notable 34.7% in the enhanced images. Metrics like the Structural Similarity Index Metric (SSIM) at 0.996, Root Mean Square Error (RMSE) at 0.988, and Universal Quality Index (UQI) at 0.002 underscore the exceptional performance of the proposed model. [39]

Similarly, in the study “Natural Finger: Generating Natural Fingerprint with Generative Adversarial Networks," the focus shifts to safeguarding model owners' intellectual property against extraction and illegal redistribution. Previous fingerprinting schemes utilizing unnatural images, like adversarial examples or noisy images, are prone to detection and rejection. To overcome this, Natural Finger introduces a novel approach using GANs to generate natural fingerprints, targeting decision difference areas rather than decision boundaries, ensuring heightened robustness. This method produces more imperceptible yet unrestricted samples, fortifying resilience against model modification attacks and extraction attempts. Remarkably, the evaluation against four model modification attacks on the Finger Bench dataset demonstrates the superiority of the proposed approach, achieving a substantial 0.91 ARUC value, surpassing the optimal baseline (MetaV) by over 17%. [40]

These pioneering studies highlight the significant strides made in leveraging GAN-based approaches for fingerprint enhancement and natural fingerprint generation. The results underscore their effectiveness in enhancing identification accuracy, preserving crucial features, and fortifying models against malicious extraction attempts, signifying substantial advancements in fingerprint recognition technology [39] [40]

- *Multi-Scale Approaches:*

State-of-the-art techniques employ multi-scale strategies that analyze fingerprint images at different resolutions or scales. These methods adaptively process images by considering details at various levels, allowing for comprehensive enhancement while preserving fine details crucial for identification. [41]

- *Adaptive Filtering and Wavelet Transform:*

Advanced filtering techniques have become integral in enhancing fingerprint images, employing adaptive filters and wavelet transforms to selectively target noise while preserving crucial ridge patterns and minutiae points, ensuring precise analysis. [42]

In the study titled "Fingerprint Enhancement Based on Wavelet and Anisotropic Filtering," the significance of high-fidelity enhancement in low-quality fingerprint images is highlighted. Existing methods relying on contextual filters often encounter challenges like the block effect on enhanced images and the blurring or destruction of ridge structures around singular points. Addressing these shortcomings, a novel approach is introduced, combining no tensor product wavelet filter banks with anisotropic filtering for fingerprint enhancement. [42]

The methodology begins by decomposing the fingerprint image using no tensor product wavelet filter banks. The approximation sub image is modified using anisotropic filtering to preserve ridge structures in singular regions and prevent the block effect. Additionally, the high-frequency coefficients of the remaining sub images undergo adaptive noise reduction based on geometric image features. Subsequently, the inverse transform is applied to the result, followed by contrast enhancement. [42]

Experimental evaluations conducted on the FVC2004 fingerprint database validate the effectiveness of the proposed approach. Results indicate its ability to overcome the block effect while enhancing low-quality fingerprints, maintaining the integrity of ridge structures around singular points. This innovative method presents a promising solution for enhancing fingerprint images with improved fidelity and clarity, crucial for accurate analysis and identification [42]

- *Fusion of Multiple Techniques:*

Cutting-edge approaches in image enhancement often involve the fusion of various techniques, aiming to leverage the strengths of different algorithms for superior image quality and clarity. [43]

In the study titled "Texture Feature Extraction Using Hybrid Wavelet Type I & II for Finger Knuckle Prints for Multi-algorithmic Feature Fusion," researchers explore the uniqueness of finger knuckle prints (FKP) as a viable biometric feature. This research focuses on utilizing FKP as a distinctive biometric trait. Hybrid Wavelet Type I and Hybrid Wavelet Type II are employed for feature extraction from FKP images, serving as a crucial step for further processing. The hybrid wavelet transform plays a pivotal role in amalgamating the key features of two distinct orthogonal transforms, harnessing the advantages of both wavelets. Specifically, this study utilizes a combination of various transforms, including

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

Discrete Cosine Transform (DCT), Haar, Hartley, Walsh, and Kekre, to generate 20 diverse hybrid wavelets. [43]

➢ *Incorporation of Contextual Information:*

State-of-the-art enhancement techniques consider contextual information surrounding fingerprint images. By incorporating contextual cues and patterns, these methods improve the overall quality of the image, enabling more accurate identification and matching.

➢ *Real-Time Processing and Computational Efficiency:*

Efforts are directed toward developing enhancement techniques that offer real-time processing capabilities and high computational efficiency. Optimized algorithms and parallel processing architectures contribute to faster and more efficient enhancement of fingerprint images.

➢ *Adaptability and Robustness:*

State-of-the-art enhancement methods aim for adaptability and robustness across various image qualities, noise levels, and environmental conditions. These techniques are designed to perform effectively on a wide range of fingerprint images, ensuring consistent and reliable results.

Overall, these advancements blend sophisticated algorithms, machine learning, and deep learning to significantly improve fingerprint analysis, aiding forensic investigations and bolstering forensic science foundations.

IV. DEEP LEARNING FRAMEWORK FOR FINGERPRINT ANALYSIS

Convolutional Neural Networks (CNNs) represent a revolutionary leap in artificial intelligence and machine learning. Their remarkable ability to process visual data has reshaped numerous fields, spanning computer vision, medical imaging, and natural language processing. These networks, inspired by the human visual system, have surged to the forefront of deep learning models.

➢ *Foundation and Architecture:*

CNNs, tailored for visual data analysis, comprise key elements like convolutional layers, pooling layers, and fully connected layers. Convolutional layers extract image features using filters, detecting edges, textures, or shapes. Pooling layers downsize features while retaining crucial information, and fully connected layers interpret these features for predictions or classifications. [44]

➢ *Feature Learning and Hierarchical Structure:*

CNNs' strength lies in automatic hierarchical feature extraction from images. Starting with low-level features such as edges, they progress to more intricate and abstract features in deeper layers. This hierarchical learning enables CNNs to comprehend complex visual patterns, aiding in object detection, recognition, and image segmentation tasks.

➢ *Transfer Learning and Pre-Trained Models:*

Utilizing pre-trained models from large datasets like ImageNet benefits CNNs through transfer learning. These models, with learned feature representations, are adapted for specific tasks, conserving computational resources and expediting learning on smaller datasets. [44]

➢ *Applications across Various Domains:*

CNNs find extensive application in computer vision, excelling in image classification, object detection, and facial recognition. In medical imaging, they assist in diagnoses, organ segmentation, and anomaly detection in medical scans. Natural language processing benefits from CNNs in text classification, sentiment analysis, and translation tasks. [44]

➢ *Challenges and Advancements:*

While successful, CNNs face challenges like complex model interpretability, overfitting on small datasets, and vulnerability to adversarial attacks. Ongoing research focuses on addressing these issues through attention mechanisms, regularization methods, and architectural improvements for robust and explainable models. [44]

➢ *Deep learning in Fingerprint Analysis*

The application of deep learning to fingerprint analysis has revolutionized the field by improving the accuracy and speed of biometric identification systems. Modern techniques leverage neural networks to automatically extract features, classify fingerprints, and perform matching with unprecedented precision. [45]

➢ *Autoencoders:*

Auto encoders, a type of unsupervised deep learning model, are widely used in fingerprint image processing. They contribute to fingerprint analysis in the following ways:

- Data Compression: Auto encoders reduce the dimensionality of fingerprint images, compressing them into latent representations that preserve essential features. This capability is particularly useful for efficiently storing and transmitting biometric data.
- Denoising: Denoising auto encoders remove noise from fingerprint images by learning to reconstruct clean images from noisy inputs, thereby improving overall image quality and recognition accuracy.
- Feature Extraction: In fingerprint analysis, auto encoders can learn to extract features such as minutiae points, ridge patterns, and orientation maps, facilitating better matching performance.

➢ *Filters in Deep Learning:*

Deep learning models, particularly CNNs, utilize filters that automatically learn hierarchical features from fingerprint images: [46]

- Convolutional Layers: Filters in the convolutional layers are responsible for detecting low-level features, such as edges and ridges. As the network deepens, it learns higher-level features, including specific minutiae structures.
- Pooling Layers: These layers reduce the spatial dimensions of the data, retaining only the most salient features. This not only speeds up computation but also enhances robustness to variations in fingerprint orientation or scale.

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

- Fully Connected Layers: Located at the end of a CNN, these layers aggregate the learned features to perform classification or matching, allowing the system to identify or verify an individual's identity.

Fingerprint analysis has undergone significant transformations, evolving from its early use in forensic science to its integration into large-scale biometric systems like Andhra. Modern advancements, particularly through deep learning applications, have enhanced the accuracy, efficiency, and scalability of fingerprint identification systems. However, concerns surrounding data privacy, security, and inclusivity remain critical as the technology continues to evolve.

➢ *Future Directions and Innovation:*

The evolution of CNNs continues, aiming to enhance efficiency, interpretability, and generalization capabilities. Innovations like novel architectures, attention mechanisms, self-supervised learning, and ethical considerations drive further advancements in CNN performance and reliability. [44]

In summary, Convolutional Neural Networks represent a pivotal milestone in artificial intelligence and machine learning, transforming how machines process and comprehend visual data. Their adaptability, versatility, and exceptional performance across diverse applications highlight their central role in modern technology, paving the way for ongoing innovation in deep learning methodologies. [44]

"Understanding Convolutional Neural Network With Tensor Flow: CNN" The paper discusses CNN's potential in handling computer vision issues by leveraging multiple levels of feature extraction. It covers various aspects of CNN architecture and optimization techniques, showcasing its efficiency in processing visual features across computer vision applications. [44]

"Recreating Fingerprint Images by Convolutional Neural Network Auto encoder Architecture" The research explores CNN auto encoder's application in reconstructing fingerprint images. By utilizing convolutional neural networks for feature extraction, the proposed architecture shows promising identification rates across diverse fingerprint datasets, indicating its robustness in recreating complex fingerprint contexts. [47]

"3D CNN-based fingerprint anti-spoofing through optical coherence tomography" This research proposes an anti-spoofing method for fingerprints using Optical Coherence Tomography (OCT) and 3D CNNs. Leveraging OCT technology, the method achieves superior anti-spoofing results, emphasizing the potential of 3D CNNs in enhancing biometric security. [48]

These research insights underscore the versatility and impact of CNNs, demonstrating their diverse applications and potential advancements across various fields.

A. Deep Learning Application in Fingerprint Matching

Deep learning has transformed fingerprint matching, elevating the accuracy, speed, and dependability of identification processes significantly. The utilization of Convolutional Neural Networks (CNNs) and advanced deep learningtechniq Ushas revolutionized fingerprint matching, marking a pivotal shift in forensic investigations and biometric authentication.

➢ *Automated Feature Extraction:*

CNNs, especially, excel in automated feature extraction from fingerprint images, learning intricate patterns directly from the images, thereby enhancing the accuracy and robustness of feature extraction. [49]

➢ *Minutiae Detection and Classification:*

These algorithms facilitate the detection of minutiae points critical for fingerprint matching. CNN architectures effectively identify minutiae like ridge endings, bifurcations, or ridge dots, ensuring precise classification and matching of fingerprint features.

➢ *Noise Reduction and Image Enhancement:*

Deep learning contributes to noise reduction and image enhancement, improving the clarity of ridge patterns in degraded or low-quality fingerprint images, resulting in more precise matching. [49]

➢ *Latent Fingerprint Analysis:*

The analysis of latent fingerprints, typically partial or smudged impressions from crime scenes, benefits from CNN-based models that enhance the quality of latent prints, enabling better feature extraction for identification.

➢ *Large-Scale Databases and Efficiency:*

Deep learning models efficiently handle extensive fingerprint databases, reducing computational time while maintaining high accuracy rates, and enhancing scalability. [50]

➢ *Transfer Learning and Adaptability:*

Transfer learning techniques adapt pre-trained models on generic datasets for specific fingerprint matching tasks, enhancing adaptability and performance in scenarios with limited training data. [50]

➢ *Biometric Authentication and Security:*

Deep learning-powered fingerprint matching systems provide robust biometric authentication, ensuring secure access control in diverse domains, from mobile devices to high-security facilities.

➢ *Advancements and Challenges:*

Ongoing advancements focus on addressing challenges like domain adaptation and adversarial attacks, leveraging techniques such as domain specific architectures and attention mechanisms to improve model robustness. [48]

➢ *Future Directions and Ethical Considerations:*

Continued research aims to enhance interpretability, fairness, and ethical considerations in deep learning models for

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

fingerprint matching, emphasizing transparency and unbiased decision-making.

In conclusion, the integration of CNNs and advanced deep-learning techniques has significantly elevated the accuracy, efficiency, and reliability of fingerprint matching systems. This advancement paves the way for secure biometric authentication and reliable forensic analysis. Continued innovation and ethical considerations will further enhance the capabilities and ethical use of deep learning in fingerprint matching applications.

"A Deep Learning-Based Approach to Perform Fingerprint Matching" The research proposes a Vision Transformer (ViT) based Siamese network framework for fingerprint matching in authentication systems, demonstrating significant performance improvements using deep learning approaches. [48]

" Handling Data Scarcity Through Data Augmentation in Training of Deep Neural Networks for 3D Data Processing" This work explores data augmentation techniques for 3D point cloud representation, verifying their effectiveness in retaining information and maintaining characteristics and features within augmented sub-samples. [49]

These research insights underscore the potential of deep learning techniques in fingerprint matching and 3D data processing, showcasing their application across diverse domains and their impact on improving accuracy and reliability.

V. CONCLUSION

The journey of fingerprint analysis from early observations to the current state of advanced deep learning applications underscores its vital role in forensic science. Historical milestones laid the groundwork for the development of robust Automated Fingerprint Recognition Systems (AFRS), which have transformed criminal investigations. Despite challenges such as noise and poor image quality, technological advancements, particularly in image processing and machine learning, have significantly improved the accuracy and efficiency of fingerprint analysis. The incorporation of Convolutional Neural Networks (CNNs) and Generative Adversarial Networks (GANs) has enhanced image enhancement and fingerprint matching processes, leading to more reliable forensic investigations and secure biometric authentication systems. Future research will continue to address existing challenges and explore new frontiers in fingerprint analysis, ensuring its critical role in maintaining justice and security.

REFERENCES

[1.] Newton DE. DNA evidence and forensic science. Infobase Publishing;2008

[2.] Henry Faulds: the Invention of a Fingerprinter. Tredoux, Gavan. s.l. : https://galton.org/fingerprints/faulds.htm.

[3.] Lawrence, Cera R., "Francis Galton (1822-1911)". Embryo Project Encyclopaedia (2011-04-06). ISSN: 1940-5030 https:// hdl.handle.net/10776/1800

[4.] Moses, K.R., Higgins, P., McCabe, M., Prabhakar, S. and Swann, S., n.d. Automated Fingerprint. [online] Available at: https:// www.ojp.gov/pgffiles1/nij/225326.pdf

[5.] Saponara, Sergio & Elhanashi, Abdussalam & Zheng, Qinghe. (2021). Recreating Fingerprint Images by Convolutional Neural Network Autoencoder Architecture. IEEE Access. PP. 1-1. 10.1109/ACCESS.2021.3124746.

[6.] Daluz HM. Fundamentals of fingerprint analysis. CRC Press; 2018 Oct 26.

[7.] Brislawn CM. Fingerprints go digital. Notices of the AMS. 1995 Nov;42(11):1278-83.

[8.] Sharma, T., Chaitan, S.M., Somayaji, N.S., Mahajan, B., Rajguru, J. P., Hajibabaei, S., & Hegde, S. (2020). The medicolegal importance of establishing human identity by using dactyloscopy and rugoscopy: A comparative study. Journal of family medicine and primary care, 9(7), 3236-3241. Https://doi.org/10.4103/jfmpc.jfmpc_545_20.

[9.] Ferreia, Rafaela & Paula, Rachel & Okuma, Adriana & Costa, Luciana. (2021). Fingerprint Development Techniques: A Review. Revista Virtual de Química. 13. 10.21577/1984-6835.20210083

[10.] Moses, K.R. & Higgins, P. & Mccabe, M. & Prabhakar, S. & Swann, S..(2015). Automated Fingerprint Identification System (AFIS).

[11.] An intelligent system for automatic fingerprint identification using feature fusion by Gabor filter and deep learning. Nur-A-Alam a, M. Ahsan b, M.A. Based c, J. Haider d, M. Kowalski. s.l. :https;// doi.org/10.1016/j.compeleceng.2021.107387, October 2021, Vol. Volume 95. 107387.

[12.] A new technique for visualization of latent fingerprints on various surfaces using powder from turmeric: A rhizomatous herbaceous plant (Curcuma longa). Rakesh K. Garg, Harish Kumari, j.ejfs.2011.04.011, 2021, Vol. 1. ISSN 2090-536X.

[13.] Jain, Anil & Feng, Jianjiang. (2011). Latent Fingerprint Matching. IEEE transactions on pattern analysis and machine intelligence. 33. 88-100. 10.1109/TPAMI.2010.59.

[14.] Zanganesh, Omid & Bala, Srinivasan & Bhattacharjee, Nandita. (2015). Partial Fingerprint Matching through Region-Based Similarity. 2014 International Conference on Digital Image Computing: Techniques and Applications, DICTA 2014. 10.1109/DICTA.2014.7008121.

[15.] About your Aadhaar [Internet]. Unique Identification Authority of India Government of India. Available from: https://uidai.gov.in/en/myaadhaar/about-your-aadhaar.html.

[16.] Barnes, C., & Conten, J. (2021, June). Chapter history (NCJ No. 225321). National Institute of Justice. https://www.ojp.gov/pdffiles1/nij/225321.pdf

[17.] Biometric Devices [Internet]. Unique Identification Authority of India | Government of India. Available from: https://uidai.gov.in/en/

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

ecosystem/authentication-devices-documents/ biometric-devices.html.
[18.] Operation Model [Internet]. Unique Identification Authority of India | Government of India. Available from: https://uidai.gov.in/en/ ecosystem/authentication-ecosystem/operationmodel.html.
[19.] Security in UIDAI system [Internet]. Unique Identification Authority of India | Government of India. Available from: https://uidai.gov.in/en/myaadhaar/about-your-aadhaar/security-in-uidaisystem.html.
[20.] Dixon P. (2017). A failure to "Do No Harm" - - India's Aadhaar biometric ID program and its inability to protect privacy in relation to measures in Europe and the U.S. Health and Technology, 7(4), 539-567. http://doi.org/10.1007/s12553-107-0202-6.
[21.] Devi, Trishna. "Biometric Data, Identification and Authentication in India - Legal Framework, Challenges and Impact." International Journal of Law Management & Humanities, vol. 4, no. 3, 2021, pp. 1001-1036. DOI:10.10000/IJLMH.11561. https:// doij.org/
[22.] Sarfraz N. (2019). Adermatoglyphia: Barriers to Biometric Identification and the Need for a Standardized Alternative. Cureus, 11(2), e4040. https://doi.org/10.7759/cures.4040.
[23.] EGIPMR, 2016. The Gazette of India Extraordinary [Part II] [online] Available at: [Accessed 16 October 2024].
[24.] LARRDIS, Lok Sabha Secretariat, n.d. Right to Privacy: Members' Reference Service. New Delhi: Lok Sabha Secretariat. Available at: https:// loksabhadocs.nic.in/Refinput/ New_Reference_Notes/English/ Right%20to%20Priva
[25.] Government of India. Ministry of Electronics and Information Technology, Government of India | Home Page [Internet]. www.meity.gov.in.2023. Available from https://www.meity.gov.in/ writeraddata/files/ Digital%20Personal%20Data%20Protection%20Act %202023.p.
[26.] Hamid, Ainul & Rahim, Mohd & Almazyad, Abdulaziz & Saba, Tanzila. (2015). Analysis of Proposed Noise Detection & Removal Technique in Degraded Fingerprint Images. 3D Research. 6.10.1007/s13319-015-0067-2.
[27.] Wu, Chaohong & Shi, Zhixin & Govindaraju, Venu. (2004). Fingerprint image enhancement method using directional median filter. Proceedings of SPIE - The International Society for Optical Engineering. 10.1117/12.542200.
[28.] Xie, Shan & Yang, Jucheng & Park, Dong & Yoon, Sook & Jinwook, Shin. (2011). Fingerprint Quality Analysis and Estimation Approach for Fingerprint Matching. 10.5772/20474.
[29.] Yadav G. Yadav DK, Mouli PC. Statistical measures for Palmprint Image enhancement. InMachine Learning for Biometrics 2022 Jan 1 (pp. 65-85). Academic Press
[30.] Shreya S, Chatterjee K. Gan-enable latent fingerprint enhancement model for human identification system. Multimedia Tools and Applications. 2024 Mar;83(9):27565-88
[31.] Wang H, Ke R, Jiang X. Large-region image inpainting using adaptive Fourier Neural Network and space-frequency domain structural analysis. Journal of Intelligent & Fuzzy Systems. (Preprint):1-5.
[32.] Yang, Jainwei & Liu, Lifeng & Jaing, Tianzi & Fan, Yong. (2003). A modified Gabor filter design method for fingerprint Image enhancement. Pattern Recognition Letters. 24. 1805-1817. 10.1016/ S0167-8655(03)00005-9
[33.] Liu K, Li J, Hussain Bukhari SS. Overview of Image inpainting and forensic technology. Security and Communication Networks. 2022;2022(1):9291971.
[34.] He, Yuliang & Tian, Jie & Xiping & Zhang, Tanghui. (2003). Image enhancement and minutiae matching in fingerprint verification. Pattern Recognition Letters. 24. 1349-1360. 10.1016/ S0167-8655(02)00376-8.
[35.] Hong, Lin & Wan, Yifei & AK, Jain. (1998). Fingerprint Image Enhancement: Algorithm and Performance Evaluation. Pattern Analysis and Machine Intelligence, IEEE Transactions on. 20. 777- 789. 10.1109/34.709565.
[36.] Kocevar, Marco & Kotnik, Bonjan & Chowdhury, Amor & Kacic, Zdravko. (2014). Realtime fingerprint image enhancement with a two-stage algorithm and block-local normalization. Journal of Real-Time Image Processing. 13.10.1007/ s11554-014-0440-z.
[37.] Chang, T.L., 1980. Texture Analysis of Digitized Fingerprints for Singularity Detection. NATO Conference Series, Series 4: Marine Science, 1, pp.478-480.
[38.] Pradeep, N. (2022). A Revolutionary Fingerprint Authentication Approach Using Gabor Filters for Feature Extraction and Deep Learning Classification Using Convolutional Neural Networks. 10.1007/978-981-16-8512-5_38.
[39.] Shreya, Shashi & Chatterjee, Kakali. (2023). GAN-enable latent fingerprint enhancement model for human identification system. Multimedia Tools and Applications. 1-24. 10.1007/ s11042-023-16510-7.
[40.] Yang, Kang & Lai, Kunhao. (2023). NaturalFinger: Generating Natural Fingerprint with Generative Adversarial Networks.
[41.] Agagu, Modupe. (2023). Development of an improved Multi-filtering Matching Model for Fingerprint Recognition. Journal of Image Processing and Intelligent Remote Sensing. 24-38. 10.55529/jipirs.35.24.38.
[42.] Jiajialei, Qinmupeng, Xingeyou, Hatemjabbar, H. and Wang, P., 2012. Fingerprint Enhancement Based on Wavelet and Anisotropic Filtering. International Journal of Pattern Recognition and Artificial Intelligence, 26. doi:10.1142/ S0218001412560010.
[43.] Yadov, Vandana & Bharadi, Vinayak & Yadav, Sunil. (2016). Texture Feature Extraction Using Hybrid Wavelet Type I & II for Fingerprint Knuckle Prints for Multi-algorithmic Feature Fusion. Procedia Computer Science. 79. 359-366. 10.1016/ j.procs.2016.03.047.
[44.] Ravikumar, Aswathy & Sriraman, Harini. (2023). Understanding Convolutional Neural Network With Tensorflow: CNN. 10.4018/978-1-6684-8531-6.ch003.

ISSN No:-2456-2165 https://doi.org/10.38124/ijisrt/26oct1428

[45.] Chiroma, Haruna. (2021). Deep Learning Algorithms based Fingerprint Authentication: Systematic Literature Review. Journal of Artificial Intelligence and Systems. 3. 157-197. 10.33969/ AIS.2021.31010.
[46.] Jin, Jiani. (2022). Convolutional Neural Networks for Biometrics Applications. SHS Web of Conferences. 144. 03013. 10.1051/shsconf/ 202214403013
[47.] Saponara, Sergio & Elhanashi, Abdussalam & Zheng, Qinghe. (2021). Recreating Fingerprint Images by Convolutional Neural Network Autoencoder Architecture. IEEE Access. PP. 1-1. 10.1109/ACCESS.2021.3124746.
[48.] Zhang, Yilong & Yu, Shichang & Pu, Shiliang & Wang, Yingyu & Wang, Kanlei & Sun, Haohao & Wang, Haixia. (2023). 3D CNN-based fingerprint anti-spoofing through optical coherence tomography. Heliyon. 9. e20052. 10.1016/j.heliyon.2023.e20052.
[49.] Baghel, Vivek & Patel, Smit & Prakash, Surya & Srivastava, Akhilesh. (2023). A Deep Learning Based Approach to Perform Fingerprint Matching. 10.1007/978-3-031-22018-0_22.
[50.] Handling Data Scarcity Through Data Augmentation in Training of Deep Neural Network for 3D Data Processing. International Journal on Semantic Web and Information System. 18. 1-16. 10.4018/IJWIS.297038. . Srivastava, Akhilesh & Rotte, Priyanka & Jain, Arushi & Prakash, Surya. (2022).