



Design and Implementation of an Integrated Cross-Platform Privacy Management Architecture Using a Rule-Based Privacy Enforcement Algorithm (RBPEA) for Cross-Platform Social Media Systems

Sabir Umar Danillela¹

Matriculation Number: 246360029

A Thesis Submitted to the Department of Information Technology, Faculty of Computing,
NILE University of Nigeria.

In Partial Fulfilment of the Requirements for the Award of the Degree of Master of Science (M.Sc.) In
Information Technology

Publication Date: 2026/10/16

How to Cite: Sabir Umar Danillela (2026) Design and Implementation of an Integrated Cross-Platform Privacy Management Architecture Using a Rule-Based Privacy Enforcement Algorithm (RBPEA) for Cross-Platform Social Media Systems. *International Journal of Innovative Science and Research Technology*, 11(10), 704-760.
<https://doi.org/10.38124/ijisrt/26oct421>

DECLARATION

I Sabir Umar Danillela, hereby declare that this project titled “Development of an Integrated Architecture to Protect User Privacy Across Social Media Platforms” is my original work and has not been submitted, either wholly or in part, for the award of any degree or qualification in this or any other institution. All sources of information used have been properly acknowledged and referenced.

Sabir Umar Danillela

20/01/2026

CERTIFICATION

This is to certify that this project titled “Development of an Integrated Architecture to Protect User Privacy Across Social Media Platforms” was carried out by Sabir Umar Danillela, with registration number, 246360029 under the supervision of Prof. Prema Kirubakaran, and has been read and approved as meeting the requirements for the award of the degree of Master of Science (MSc) in Computer Science.

Prof. Prema Kirubakaran
(Supervisor)

Date

Prof. Prema Kirubakaran
(Head of Department)

Date

Prof. Joshua Abah
(Dean Faculty)

Date

Name
(Internal Examiner)

Date

Name
(External Examiner)

Date

Prof. Solome Konkat Kingbu
(Dean, School of Postgraduate)

Date

DEDICATION

This project is dedicated to God Almighty, whose grace, strength, and guidance made the successful completion of this study possible.

ACKNOWLEDGEMENT

I express my sincere gratitude to God Almighty for the wisdom, strength, and perseverance granted to me throughout this research work. Without His guidance and sustenance, this study would not have been possible.

My profound appreciation goes to my supervisor Prof. Prema Kirubakaran, for the valuable guidance, constructive criticism, and unwavering academic support provided during this study. I also acknowledge the contributions of all the lecturers in the Department of Information Technology for their intellectual input, mentorship, and encouragement.

Special thanks to my colleagues and friends for their moral support, helpful discussions, and camaraderie. Finally, I deeply appreciate my uncle, Prof. Junaidu Bello Marshall SAN, and my entire family for their constant support, understanding, and sacrifices throughout the duration of this program.

TABLE OF CONTENTS

DECLARATION	705
CERTIFICATION	706
DEDICATION	707
ACKNOWLEDGEMENT	708
TABLE OF CONTENT	709
LIST OF FIGURES	712
LIST OF TABLES	713
LIST OF ABBREVIATIONS	714
ABSTRACT	715
 CHAPTER ONE	 716
INTRODUCTION	716
Background of the Study	716
Motivation for an Integrated Privacy Protection Architecture	717
Statement of The Research Problem	718
Aim and Objectives of The Study	718
Research Questions	718
Scope and Delimitation of the Study	718
Scope of the Study	718
Delimitations of the Study	719
Significance of the Study	719
Operational Definition of Key Terms	720
Organization of the Thesis	720
 CHAPTER TWO	 721
LITERATURE REVIEW	721
Conceptual Review	721
Social Media Ecosystems and Data Flow Models	721
User Privacy and Personal Data Protection	721
Privacy Threats in Social Media Platforms	721
Cross-Platform Data Sharing and Privacy Risks	722
Theoretical Framework	722
Privacy by Design (PbD) Principles	722
Access Control and Identity Management Theories	722
Trust and Risk Models in Online Social Networks	723
Review of Related Empirical Studies	723
Review of Existing Privacy Protection Models and Architectures	725
Centralized Privacy Control Architectures	725
Decentralized and Federated Privacy Models	725
Blockchain-Based Privacy Solutions	725
AI-Driven Privacy Preservation Techniques	726
Comparative Analysis of Existing Systems	726
Research Gaps Identified from the Literature	726
Summary of the Literature Review	726
 CHAPTER THREE	 727
SYSTEM ANALYSIS AND DESIGN METHODOLOGY	727
Analysis of Existing Social Media Privacy Mechanisms	727
Design of the Integrated RBPEA-Based Architecture for Cross-Platform Social Media Systems	728
Overview of the Proposed Architecture	728
Architectural Design Goals	728
Components of the Proposed Architecture	728
System Architecture Diagram	729
Data Flow Within the Architecture	730
Development of the Rule-Based Privacy Enforcement Algorithm (RBPEA)	730
Overview of the RBPEA	730
Objectives of the RBPEA	730
Structure of the RBPEA	730
RBPEA Operational Flow	730

RBPEA Pseudocode	731
Sequence Diagram of RBPEA Execution	732
Advantages of the RBPEA	732
System Requirements Analysis	732
Functional Requirements	732
Non-Functional Requirements	733
Security and Privacy Requirements	734
Proposed Integrated Privacy Architecture	734
Architectural Overview	734
System Components and Modules	735
Data Flow and Interaction Models	735
Trust and Access Control Mechanisms	736
System Modelling and Design	736
Use Case Diagram	736
Sequence Diagram	737
Entity Relationship Diagram (ERD)	737
Architectural Diagrams	738
Privacy Preservation Techniques Employed	738
Encryption and Key Management	738
Anonimization and Pseudonymization	738
Consent Management and Policy Enforcement	738
Algorithm-Driven System Design Framework	738
Design Science Research (DSR) Framework Applied to the Study	738
Purpose of the Algorithm	739
Formal Definition of the Algorithm	739
Algorithm Flow Description	739
Mapping the Algorithm to System Architecture	739
Algorithm-Driven Implementation Strategy	740
Justification for Using RBPEA	740
Research Design and Methodology	740
Tools and Technologies Used	740
Ethical Considerations and Compliance Standards	741
Summary of Chapter	741
CHAPTER FOUR	742
SYSTEM IMPLEMENTATION AND RESULTS	742
Objective iii: Implementation of Developed RBPEA Within the Integrated Architecture	742
Overview of the Implementation	742
Implementation Tools and Technologies	742
Implementation Environment and System Configuration	742
Hardware Environment	742
Description of System Modules	744
User Identity and Authentication Module	744
Privacy Policy Management Module	744
Cross-Platform Data Control Module	744
Monitoring and Audit Module	745
Database Design and Implementation	745
System Interfaces and User Interaction Design	746
Testing Strategies and Test Cases	749
Performance Evaluation Metrics	749
Privacy Leakage Reduction	749
System Overhead and Latency Analysis	749
Scalability Assessment	749
Results and Findings (Enhance MSc Standard Version)	749
Privacy Rule Enforcement Consistency	749
Effectiveness of the RBPEA	750
System Performance and Response Time	750
Overall Findings	750
Discussion of Results	751
Alignments with Research Objectives	751
Interpretation of Privacy Enforcement Results	751

Userbility and Human-Centered Design Implementations	751
System Performance and Practical Feasibility	751
Validation of the Design Science Research Approach	751
Comparison with Existing Approaches	752
Overall Interpretation	752
CHAPTER FIVE	753
SUMMARY, CONCLUSION, AND RECOMMENDATIONS	753
Summary of the Study	753
Key Contributions to Knowledge	753
Conclusion	753
Recommendations	754
Limitations of the Study	754
Suggestions for Further Research	755
REFERENCES	756
APPENDIXES	758

LIST OF FIGURES

Fig 1 The Current Fragmented Model of Privacy Management	727
Fig 2 Integrated RBPEA-Based Architecture	729
Fig 3 Sequence of Applying a Cross-Platform Privacy Rule	732
Fig 4 High-Level System Architecture	735
Fig 5 Primary Use Cases for The End-User	736
Fig 6 Sequence of Applying a Cross-Platform Privacy Rule	737
Fig 7 Core Database Entities and their Relationships	737
Fig 8 Entity Relationship Diagram (ERD)	745
Fig 9 Login Page	746
Fig 10 Privacy Policy Creation Interface	746
Fig 11 Notification Interface	747
Fig 12 User Privacy Dashboard Interface	747
Fig 13 Social Media Account Connection Interface	748
Fig 14 Privacy Status / Risk Indicator Interface	748

LIST OF TABLES

Table 1 Related Studies on Social Media Privacy	724
Table 2 The RBPEA Consists of Five Major Stages	730
Table 3 Summary of Key System Requirements	734
Table 4 Mapping of RBPEA Steps to System Architecture Components	739
Table 5 Implementation Technologies	742
Table 6 Software Environment Configuration (React.js-Based Implementation)	743
Table 7 Core Database Tables	745
Table 8 Sample Test Cases	749
Table 9 Privacy Rule Enforcement Accuracy	749
Table 10 Usability Evaluation Summary	750
Table 11 System Performance Metrics	750

LIST OF ABBREVIATIONS

Abbreviation	Meaning
API	Application Programming Interface
DSR	Design Science Research
ERD	Entity Relationship Diagram
GDPR	General Data Protection Regulation
NDPR	Nigeria Data Protection Regulation
RBPEA	Rule-Based Privacy Enforcement Algorithm
UI	User Interface
UX	User Experience

ABSTRACT

The widespread use of multiple social media platforms has increased user exposure to privacy risks due to fragmented and complex privacy controls. Users are required to configure separate privacy settings across different platforms, often leading to inconsistent configurations, privacy fatigue, and unintended data disclosure. Existing privacy mechanisms remain largely platform-specific and do not provide unified or user-centred control across platforms. This study aims to design, implement, and evaluate an integrated architecture for protecting user privacy across social media platforms. The proposed system employs a Rule-Based Privacy Enforcement Algorithm (RBPEA) to translate user-defined privacy preferences into platform-specific enforcement actions. Using the Design Science Research methodology, a modular, web-based prototype was developed, incorporating secure user authentication, centralized privacy rule management, and cross-platform enforcement through platform adapters. The system was evaluated based on enforcement consistency, usability, and system performance. Results indicate improved consistency of privacy settings across platforms, reduced user effort in privacy configuration, and enhanced transparency through audit and feedback mechanisms. The findings demonstrate that algorithm-driven, integrated privacy management is both feasible and effective for improving user privacy control in multi-platform environments. This study contributes an empirically evaluated architectural model and algorithmic approach for cross-platform privacy protection, addressing a significant gap in existing privacy management solutions.

CHAPTER ONE INTRODUCTION

➤ *Background of the Study*

The digital age has ushered in an era of unprecedented connectivity, fundamentally transforming how humans communicate, form communities, and construct their identities. At the heart of this transformation lies social media and messaging platforms that have evolved from simple digital novelties into central infrastructures of modern social, economic, and political life. As of 2024, over 4.9 billion people globally use social media, spending an average of nearly 2.5 hours per day across various platforms (Data Reportal, 2024). These platforms from the familial networks of Facebook and the visual narratives of Instagram to the professional spheres of LinkedIn, the rapid-fire public squares of X (formerly Twitter), the algorithmically-driven creativity of TikTok, and the privacy-focused communications of Telegram are not merely tools but environments where significant portions of human experience now unfold (Veliz, 2021). They are where people celebrate milestones, engage in civic discourse, seek employment, experience culture, and form intimate connections. However, this deep integration into daily life has created a profound and troubling paradox: the very tools that empower connection and self-expression have also become the most efficient systems for personal surveillance and data extraction in human history, even as some platforms claim to offer privacy as a core feature. This study is grounded in exploring this paradox and proposing a technical pathway toward its resolution, placing user agency and simplicity at the forefront of the solution across this diverse ecosystem (Wisniewski et al., 2021).

The business model underpinning most major social media platforms, often termed the "attention economy" or more critically, "surveillance capitalism," is central to understanding the privacy dilemma (Zuboff, 2020). In exchange for free access, users implicitly agree to have their activities, interactions, preferences, and even inferred emotions meticulously tracked, aggregated, and analyzed. Every click, scroll, hover, like, share, and watch-time is converted into behavioral data. This data is used to build astonishingly detailed psychographic profiles, which are then leveraged to enable hyper-targeted advertising, the primary revenue source for these companies. While this model has fueled immense technological innovation and shareholder value, it has systematically externalized the social costs of privacy erosion and manipulative design onto users (Veliz, 2021). The relationship is inherently asymmetrical: platforms possess near-complete visibility into user behavior, while users have only fragmented and obfuscated insight into how their data is collected, combined, and used. This asymmetry is the bedrock of the modern privacy crisis.

This crisis manifests differently across platforms but stems from the same root: a lack of unified user control. TikTok, for instance, represents the next frontier of algorithmic engagement and data collection. With its powerful "For You Page" algorithm, TikTok collects an immense array of data points not just what users watch, but how long they watch, their interactions (likes, shares, comments), device information, and even keystroke patterns to infer interests (Kumar, 2023). While offering creative expression, its privacy settings are nested within a complex interface, and its data practices, particularly regarding international data transfers, have sparked significant geopolitical and privacy concerns. Conversely, telegram markets itself as a bastion of privacy, offering end-to-end encrypted "Secret Chats" and positioning itself as an alternative to more data-hungry messaging apps. However, this creates a false binary for users. Standard Telegram chats are not end-to-end encrypted by default, and the platform's privacy model is inconsistent while it protects message content in specific modes, it still collects metadata (who is talking to whom, when, and for how long) and requires careful configuration of visibility settings for usernames, phone numbers, and group memberships (Tikhonov & Zegzhda, 2022). Thus, even a platform built on a privacy promise contributes to the fragmentation problem: its controls are unique to its architecture and must be managed separately from all others.

User awareness of these dynamics has grown significantly, particularly in the wake of high-profile scandals. The Cambridge Analytica incident of 2018 served as a global wake-up call, revealing how the personal data of millions of Facebook users could be harvested without meaningful consent and used for sophisticated political profiling and manipulation (Isaak & Hanna, 2020). Subsequent revelations, from internal documents released by whistleblowers detailing platform awareness of harms to frequent reports of massive data breaches, have eroded public trust. A 2023 survey found that 79% of social media users are concerned about how companies use their data, and 64% have personally experienced a data breach (Pew Research Center, 2023). This is not a passive concern; it manifests as a palpable sense of anxiety and vulnerability. Users report feeling watched, manipulated by algorithms on platforms like TikTok, and uncertain about the security of their private groups on Telegram. Yet, this awareness has not led to mass abandonment of these platforms, highlighting their entrenched utility and the phenomenon of the "privacy paradox," where expressed concerns fail to translate into protective behaviors due to structural barriers (Barth & de Jong, 2023).

These structural barriers are multifaceted and amplified by platform diversity. The first is complexity. Each social media platform functions as a walled garden with its own unique, constantly evolving, and notoriously convoluted privacy settings interface. A user wishing to limit data collection and audience reach must navigate a different maze of menus, toggle switches, and legalistic explanations on Facebook, Instagram, X, LinkedIn, TikTok, Telegram, and others. TikTok's settings for controlling personalized ads or limiting data sharing with third parties are buried deep within the app, while Telegram's settings for phone number visibility and last-seen timestamps are in a different structure altogether. Research in Human-Computer Interaction (HCI) consistently shows that these interfaces are designed for obfuscation rather than clarity, often burying the most important controls and using dark patterns design choices that trick users into making decisions against their own interests to encourage oversharing and data collection (Utz *et al.*, 2021). For example, a default setting is typically the most data-permissive option, and opting out

requires proactive, often tedious, user action. This design philosophy creates immense cognitive load, leading to what scholars' term "privacy fatigue," a state of resignation where users, overwhelmed by complexity and a sense of powerlessness, disengage from proactive privacy management altogether (Hargittai & Marwick, 2022).

The second, more insidious barrier is fragmentation. A user's online identity and social context are not siloed within a single platform. They are distributed. A person may use LinkedIn for professional networking, Facebook for family, Instagram for aesthetics, X for news, TikTok for entertainment, and Telegram for private group coordination with colleagues or friends. Their privacy preferences are inherently contextual and multifaceted they may want their TikTok account to be completely separate from their professional identity, or they may need to ensure a sensitive document shared in a Telegram group does not leak metadata that could identify participants. However, the current technological ecosystem forces them to manage these contextual boundaries separately on each platform, a nearly impossible task to perform consistently. This fragmentation leads to "context collapse," where content or associations from one sphere (e.g., a viral TikTok dance) inadvertently impact another (e.g., a professional reputation on LinkedIn), with potentially serious personal and professional consequences (Davis & Jurgenson, 2021). Furthermore, data and inferences are not contained; platforms and third-party data brokers engage in a shadowy ecosystem of data trading and integration, where information from one source is combined with another to build composite profiles far more revealing than anything available on a single site. A user's overall privacy, therefore, is a chain that is only as strong as its weakest and most poorly configured link across their entire digital presence, from the algorithmic panopticon of TikTok to the nuanced privacy settings of Telegram.

The regulatory response to this crisis, most notably the European Union's General Data Protection Regulation (GDPR) and the California Consumer Privacy Act (CCPA), represents a significant step toward empowering individuals. These frameworks enshrine principles like data minimization, purpose limitation, and the right to access, correct, and delete personal data. However, their implementation has largely placed the burden of action on the user. To exercise their rights, an individual must submit formal requests to each platform individually to Meta for Facebook and Instagram, to ByteDance for TikTok, to Telegram Messenger LLP, and so on a process that is time-consuming, inconsistent, and not user-friendly. While regulations have forced platforms to provide more controls and transparency, they have not solved the fundamental problem of fragmented management. The user is still left playing a never-ending game of "whack-a-mole" across a dozen different apps, reacting to privacy policy updates and new features rather than proactively setting a cohesive, personal privacy policy that travels with them online (Zaem & Barber, 2021).

Against this backdrop of rising concern, regulatory action, and persistent user difficulty, the field of Privacy-Enhancing Technologies (PETs) has flourished. Tools like ad-blockers, tracker blockers, encrypted messaging apps, and virtual private networks (VPNs) are widely used. However, these tools are largely defensive and piecemeal. They do not address the core issue of managing *in-platform* privacy settings cohesively. There is a conspicuous absence of *proactive, integrative* tools a technological intermediary that operates on the user's behalf to unify and enforce their privacy wishes across the disparate kingdoms of social media and messaging apps, from the open networks to the encrypted ones. This gap represents not just a technological challenge but a profound failure of design to center human needs across the full spectrum of digital interaction. The principle of "Privacy by Design," championed by scholars like Ann Cavoukian (2020), calls for privacy to be embedded into technology from the ground up, by default, and as a core functionality. Our current landscape of TikTok, Telegram, Instagram, and others is a patchwork of this principle's adoption and rejection.

Therefore, the background to this study is not merely a technical narrative about APIs and data flows. It is a human story about agency, control, and dignity in a digitally splintered world. It is about the teenager who wants to explore creativity on TikTok without it affecting their future college applications. It is about the activist coordinating in a Telegram channel who needs to ensure their participation is not discoverable. It is about the fundamental right to manage one's multifaceted identity and boundaries across all the digital spaces one inhabits. This research is motivated by the conviction that technology, which created this problem of fragmented visibility and control, can also be harnessed to solve it. The vision is an integrated architecture a personal privacy assistant that sits with the user, understands their high-level preferences ("keep my entertainment and professional lives separate," "maximize encryption for private messages," "limit ad targeting everywhere"), and tirelessly works to implement those preferences consistently across every platform they use, from Facebook to TikTok to Telegram. By providing a single pane of glass through which to view and control their cross-platform privacy, this research seeks to combat fatigue, reduce errors, restore a sense of agency, and take a concrete step toward a future where privacy is not a confusing puzzle or a marketed feature, but a default, accessible, and unified reality for all.

➤ *Motivation for an Integrated Privacy Protection Architecture*

The motivation for this project is both technical and deeply human. Technically, while there are many privacy tools like browser ad-blockers or single-platform enhancers they work in silos. There is a clear gap in research and practical tools for a system that sits *between* the user and all their social platforms, acting as a unified privacy manager (Ghosh *et al.*, 2023). From a human perspective, the motivation is empowerment. People should not need a degree in computer science to feel safe online. Drawing from the principle of "Privacy by Design," which calls for privacy to be built into systems proactively, this study is motivated by the goal of giving control back to the user in a simple, integrated way (Cavoukian, 2020). We envision a tool that works like a smart privacy assistant, helping users enforce their wishes everywhere they go online, reducing fatigue and increasing their sense of safety and autonomy.

➤ *Statement of the Research Problem*

The core problem addressed in this study is the absence of an integrated mechanism for managing user privacy across multiple social media platforms. Existing platforms provide independent and platform-specific privacy controls, requiring users to manually configure settings separately for each system. This fragmented approach leads to inconsistent privacy configurations, increased user effort, and a high risk of unintended data exposure (Tikhonov and Zegzhda, 2022). Furthermore, users are unable to define a single, unified privacy preference that can be applied consistently across different platforms (Jurgenson, *et al*, 2021). The lack of a centralized and algorithm-driven solution means that privacy management remains reactive, error-prone, and dependent on user expertise. Despite increasing awareness of privacy risks, current systems do not provide an effective means of translating user privacy intentions into enforceable actions across heterogeneous social media environments.

Therefore, there is a need for an integrated architecture supported by a well-defined algorithm that can enable users to specify privacy preferences once and have them consistently enforced across multiple platforms.

➤ *Aim and Objectives of the Study*

• *Aim*

This study aim is to development, and evaluate an integrated privacy management architecture, supported by a Rule-Based Privacy Enforcement Algorithm (RBPEA), for protecting user privacy across multiple social media platforms.

• *Objectives*

- ✓ Design an integrated RBPEA-based privacy management architecture for cross-platform social media systems.
- ✓ Develop a Rule-Based Privacy Enforcement Algorithm (RBPEA) for integrated privacy control across multiple platforms.
- ✓ Implement the developed RBPEA within the proposed integrated architecture to enforce user-defined privacy rules across social media platforms.

➤ *Research Questions*

The following research questions guide this study:

- How can an integrated RBPEA-based privacy management architecture be designed for cross-platform social media systems?
- How can a Rule-Based Privacy Enforcement Algorithm (RBPEA) be developed to support integrated privacy control across multiple social media platforms?
- How can the developed RBPEA be implemented within the proposed integrated architecture to enforce user-defined privacy rules across social media platforms?

➤ *Scope and Delimitation of the Study*

Every research endeavor must define its boundaries to ensure focus, feasibility, and clarity of contribution. This study aims to build a practical, proof-of-concept functional prototype to the complex problem of cross-platform privacy management. To make this ambitious goal achievable, the following scope and delimitations are established.

• *Scope of the Study*

This research will focus on the following areas:

- ✓ Targeted Platform Ecosystem: The design, prototype, and evaluation will specifically target a curated set of platforms that represent major categories of the social digital experience:
 - Open Social Networks: Platforms like X (formerly Twitter) and Meta platforms (Facebook/Instagram) will be included as primary examples. They represent the classic model of broad-audience, content-sharing networks with relatively well-documented (though often restricted) APIs for profile and post management.
 - Visual & Algorithmic-First Platforms: TikTok will be included as a critical case study due to its massive influence, unique algorithmic curation, and distinct privacy model centered around video content and a "For You Page."
 - Messaging-Centric Platforms: Telegram will be included to address the challenge of integrating platforms that prioritize private communication and offer a different set of controls (e.g., last seen, phone number visibility, group permissions) compared to traditional social networks.
 - This selection ensures the architecture is tested against diverse technical (API types), business (ad-driven vs. subscription-supported), and interaction (broadcast vs. private chat) models.
- ✓ Functional Privacy Domain: The system will focus on managing user-configurable privacy *settings* and *controls*. This includes, but is not limited to:
 - Profile Visibility: Controlling who can see profile information, bio, and contact details.

- Post/Content Audience Management: Setting default and post-specific audiences (e.g., Public, Friends, Only Me).
 - Interaction Controls: Managing who can tag, mention, or send direct messages.
 - Data and Ad Preferences: Accessing and toggling settings related to ad personalization and data sharing with third parties, where APIs permit.
- ✓ Technical Approach: The research will employ a Design Science Research (DSR) methodology, involving iterative cycles of design, development, and evaluation. The outcome will be an architectural framework and a functional web-based prototype, not a commercial-grade product.
 - ✓ User Perspective: The system will be designed for and evaluated by individual end-users seeking to manage their personal privacy. Evaluation will focus on usability for non-technical users, accuracy of privacy rule enforcement, and basic system performance indicators such as response time and operational reliability. The user experience will be centered on simplification, clarity, and the reduction of cognitive load.
- *Delimitations of the Study*
To maintain a realistic scope, the study explicitly excludes the following:
 - ✓ Platform Coverage Limitation: The prototype will not integrate with *all* social media or messaging platforms. Support will be built for the selected platforms mentioned above (X, Meta properties, TikTok, Telegram) as a proof of concept. Platforms like Snapchat, Discord, LinkedIn, or emerging apps are excluded from the prototype implementation, though the architecture will be designed to accommodate their future addition.
 - ✓ Encryption of Private Message Content: While the system may manage settings *about* messaging (like Telegram's "Last Seen"), it will not attempt to intercept, encrypt, or decrypt the actual *content* of private messages (e.g., the text within WhatsApp, Signal, or Telegram Secret Chats). This study focuses on *privacy management interfaces*, not on building a new secure messaging protocol.
 - ✓ Comprehensive Data Inference Prevention: The system aims to enforce user-defined settings, but it cannot prevent platforms from making inferences based on the data they are legally permitted to collect. For example, if a user sets their profile to "private," the system ensures the profile is hidden, but it cannot stop the platform from inferring interests from in-app behavior. The scope is control over explicit data flows and visibility settings.
 - ✓ Enterprise or Organizational Privacy: The architecture is designed for individual consumer privacy. The complex needs of enterprise data governance, compliance logging for organizations, or multi-user administrative controls are beyond the scope of this research.
 - ✓ Legal and Policy Enforcement: The system is a technical tool to help users enforce their preferences. It does not automatically audit platforms for GDPR or CCPA compliance, nor does it generate legal requests or complaints. It operates within the technical boundaries provided by platform APIs.
 - ✓ Native Mobile Application Development: The primary prototype will be a web-based dashboard for maximum accessibility and ease of development. While the design will consider responsive principles, the development of dedicated native iOS or Android mobile applications is excluded, though it is a clear path for future work.
 - ✓ Longitudinal and Large-Scale Deployment: The evaluation will involve a controlled user study with a limited number of participants (likely 20–50) in a testing environment. The evaluation will involve a controlled user study with a limited number of participants (likely 20–50) in a testing environment, using task-based usability testing and system performance measurements. A longitudinal study of real-world usage over months or deployment to thousands of users is not within the resource scope of this thesis project.

By clearly defining this scope and these delimitations, the study establishes a feasible, focused path to making a meaningful contribution. It acknowledges the vastness of the privacy landscape while carving out a specific, implementable problem: creating a unified technical interface for the fragmented privacy controls that currently exhaust and confound users. The success of this bounded project will lay the essential groundwork for future expansion into the areas it currently excludes.

➤ *Significance of the Study*

This research is significant at both practical and academic levels.

- For Users: The study provides a functional prototype that reduces privacy fatigue, enhances users' sense of control, and lowers the risk of accidental oversharing by simplifying the management of privacy settings across multiple platforms.
- For Researchers: The study contributes an empirically evaluated integrated privacy architecture to the fields of Human Computer Interaction (HCI) and privacy-enhancing technologies. In addition to architectural design, it provides evidence on usability, enforcement accuracy, and system performance in a cross-platform privacy management context.
- For Policymakers and Designers: The findings offer practical insights into how interoperable privacy mechanisms can be designed and evaluated, informing policy discussions and design guidelines that promote portability of user privacy preferences across platforms (Shvartzshnaider et al., 2022).

➤ *Operational Definition of Key Terms*

- **Integrated Privacy Architecture:** A designed software system that provides a single point of control for a user to manage their privacy settings across multiple, separate social media platforms.
- **Privacy Fatigue:** The feeling of exhaustion and resignation users experience from the constant effort required to manage their online privacy (Hargittai & Marwick, 2022).
- **Context Collapse:** The blurring of audiences from different social spheres (e.g., family, friends, work) into a single online space, increasing the risk of inappropriate sharing and reinforcing the need for granular privacy controls.
- **API (Application Programming Interface):** A set of rules and tools that allows different software applications, like our proposed system and Facebook, to communicate with each other.
- **Privacy-by-Design:** A framework that promotes embedding privacy features and protections directly into the design and operation of IT systems, from the start (Cavoukian, 2020).
- **Rule-Based Preference Engine:** A software component that translates high-level user privacy preferences into platform-specific privacy settings using predefined logical rules and mappings.
- **Usability:** The degree to which the proposed system can be used by non-technical users to manage privacy settings effectively, efficiently, and with minimal cognitive effort, typically assessed through task completion, user satisfaction, and perceived ease of use.
- **Privacy Control Parameters:** Configurable attributes of a social media platform that determine how user information is accessed, shared, or made visible, including profile visibility, content audience selection, interaction permissions, and data-sharing preferences.

➤ *Organization of the Thesis*

The rest of this thesis is organized to tell the clear story of this project:

- **Chapter 2: Literature Review** will explore what other researchers have discovered about social media privacy, existing tools, and where the gaps are.
- **Chapter 3: System Design** will detail the blueprint of the integrated architecture, explaining how each part is supposed to work.
- **Chapter 4: Implementation** will describe the process of building the working prototype, including choices of technology and challenges faced.
- **Chapter 5: Evaluation and Results** will present the findings from testing the prototype with users and measuring its performance.
- **Chapter 6: Conclusion and Future Work** will summarize what was learned, discuss the implications, and suggest directions for improving the system further.

CHAPTER TWO LITERATURE REVIEW

This chapter explores what other researchers and experts have discovered about the problem we're trying to solve: how to protect your privacy when you use multiple social media platforms. Think of this as looking at the "history of the conversation" about social media privacy. We're joining a discussion that has been going on for years, and we need to understand what has already been said before we can add our own meaningful contribution. Also, the chapter is organized like a journey through knowledge. First, we'll look at the big ideas and concepts (what is social media privacy, really?). Then we'll examine the theories and principles that guide how we think about privacy protection. Next, we'll review actual research studies that have been done, and look at existing solutions that people have tried to build. Finally, we'll identify what's still missing the gaps in knowledge that our project aims to fill. This thorough review serves as the foundation for our entire study, showing why our work is both necessary and timely in today's digital landscape.

➤ *Conceptual Review*

- *Social Media Ecosystems and Data Flow Models*

Social media platforms constitute complex digital ecosystems where user information continuously flows between multiple actors. Personal data moves from users to platforms during interactions, is often shared with advertisers and third-party partners, and is reflected back to users through personalized content or recommendations (Van Dijck, 2021; Zuboff, 2020). These flows are heterogeneous across platforms, with each platform implementing distinct data management rules, API structures, and sharing policies.

The heterogeneity of data flows creates significant challenges for users seeking consistent privacy management. Since each platform enforces privacy controls differently, users must manually configure settings for each service, increasing the likelihood of errors, misconfigurations, and privacy fatigue. This fragmentation provides a conceptual justification for designing an integrated privacy architecture capable of unifying platform-specific data flows into a single user-controlled interface.

- *User Privacy and Personal Data Protection*

Privacy is generally defined as an individual's ability to control the collection, use, and dissemination of personal information (Nissenbaum, 2021). It encompasses informational privacy (control over personal data), social privacy (control over interactions with other users), and psychological privacy (freedom from manipulation). Regulatory frameworks such as the GDPR and CCPA aim to operationalize these rights, granting individuals the ability to access, correct, delete, or restrict the use of their personal information (Mantelero, 2021).

Despite these rights, practical enforcement remains limited. Users face a "rights–reality gap," whereby exercising legal entitlements is cumbersome and requires repeated action across different platforms. The usability of privacy mechanisms is therefore critical; poor interface design and platform heterogeneity impede users from effectively configuring their privacy preferences. This underscores the necessity for a user-centred integrated system that translates legal rights and privacy policies into comprehensible and actionable controls, which aligns directly with Objective 3 of this study.

- *Privacy Threats in Social Media Platforms*

Privacy threats on social media platforms can be categorized into four primary types:

- ✓ **Platform Data Collection Threats:** Platforms continuously gather user information, including content interactions, time spent, engagement patterns, and location. These data collection practices directly influence privacy exposure.
- ✓ **Third-Party Data Sharing Threats:** User data is frequently shared with external advertisers, data brokers, and analytic services. While some sharing is mediated through privacy settings, inconsistencies across platforms complicate user control.
- ✓ **Inference-Based Threats:** Platforms can infer sensitive user attributes, such as political orientation, health status, or personal preferences, from observed behaviour's, even if the user does not explicitly provide this information (Kosinski et al., 2021). Such threats are largely beyond the scope of user-mediated privacy control.
- ✓ **User-Mediated Social Threats:** Other platform users may compromise privacy through unwanted interaction, harassment, or redistribution of personal content.

For the purposes of this study, the focus is on threats that are mitigable via configurable privacy settings, such as data visibility, content audience, and interaction permissions. Threats that rely on behavioural inference or are outside explicit platform controls are acknowledged but are outside the operational scope of the proposed system. This distinction ensures that the design and evaluation of the integrated privacy architecture target areas where user intervention is feasible and measurable, directly supporting Objectives 1, 2, and 3.

- *Cross-Platform Data Sharing and Privacy Risks*

Social media platforms increasingly allow user data to flow across multiple services, resulting in what is referred to as a composite digital identity (Shvartzshnaider et al., 2022). Information shared on one platform may be combined with data from other platforms, third-party trackers, or advertising networks, producing a more comprehensive user profile than any single platform can generate. This cross-platform aggregation increases the potential for privacy violations, as users typically cannot control or monitor how their data is combined and redistributed.

Three primary privacy risks arise from cross-platform data sharing:

- ✓ Mosaic Effect: Individually innocuous pieces of information from different platforms can be aggregated to reveal sensitive personal details not intended for disclosure.
- ✓ Context Collapse: Data shared within one social context (e.g., personal connections on TikTok) may inadvertently become visible or inferred in another context (e.g., professional networks on LinkedIn), potentially causing reputational or social harm.
- ✓ Data Escape: Once information leaves a platform, users lose direct control over it. Even if data is deleted from one service, copies may persist with third-party data brokers, advertisers, or other platforms, rendering user privacy preferences ineffective.

The fundamental challenge is that privacy settings do not automatically transfer with the data. This fragmentation underscores the need for an integrated privacy architecture capable of:

- ✓ Unifying privacy controls across platforms
- ✓ Translating user-defined preferences into platform-specific configurations
- ✓ Mitigating risks associated with cross-platform aggregation while operating within the technical limits of APIs

This conceptualization directly informs Objective 1 (design of a modular privacy architecture), Objective 2 (implementation of a functional prototype enforcing these controls), and Objective 3 (evaluation of effectiveness, usability, and performance).

➤ *Theoretical Framework*

- *Privacy by Design (PbD) Principles*

Privacy by Design (PbD) is a proactive framework that integrates privacy protections directly into the design and operation of information systems, rather than treating privacy as an afterthought (Cavoukian, 2020). PbD provides seven foundational principles:

- ✓ Proactive, not Reactive: Systems anticipate and prevent privacy risks before they occur.
- ✓ Privacy as Default: Privacy protection is the default configuration for users.
- ✓ Embedded Privacy: Privacy is integrated into the architecture, rather than being an optional feature.
- ✓ Full Functionality: Privacy measures should not compromise system utility.
- ✓ End-to-End Security: Data is protected throughout its lifecycle.
- ✓ Visibility and Transparency: Users and stakeholders have clear insight into data handling practices.
- ✓ Respect for User Privacy: User preferences and autonomy are prioritized in design decisions.

In the context of this project, PbD informs the architecture and prototype by emphasizing:

- ✓ Default protection of privacy settings across platforms
- ✓ End-to-end enforcement of user preferences
- ✓ User empowerment through comprehensible interfaces

Existing social media solutions often violate these principles: privacy is reactive, inconsistently applied, and often sacrifices usability. Incorporating PbD provides the theoretical justification for the proposed integrated architecture.

- *Access Control and Identity Management Theories*

Access control and identity management theories underpin the mechanism by which privacy rules are enforced. Traditional access control frameworks specify which users or groups can access particular resources (Fernández & Peralta, 2021). Identity management enables authentication across systems without requiring multiple user accounts or credentials.

The challenge in social media arises from the heterogeneity of access control implementations: each platform applies distinct rules for content visibility, messaging, and profile management. For an integrated architecture, a centralized rule-based engine must map user-defined preferences to platform-specific access control policies. This approach aligns with Objective 2, ensuring that a single user action enforces privacy consistently across multiple platforms.

- *Trust and Risk Models in Online Social Networks*

Trust and risk models provide a conceptual foundation for evaluating the effectiveness of privacy controls. Trust in online environments represents the user's expectation that platforms will handle personal information responsibly (Bélanger & Crossler, 2021). Risk models identify potential negative outcomes associated with sharing information online, which can include:

- ✓ Privacy risks: Unauthorized access or disclosure of personal data
- ✓ Social risks: Damage to relationships due to unintended data exposure
- ✓ Psychological risks: Stress or anxiety resulting from privacy violations
- ✓ Professional risks: Reputation or career harm due to data exposure

Users often underestimate long-term privacy risks while overestimating immediate social benefits. The proposed system mitigates these challenges by:

- ✓ Making privacy risks explicit
- ✓ Providing actionable tools to enforce user preferences consistently
- ✓ Reducing cognitive load in privacy decision-making

This framework justifies the evaluation criteria in Objective 3, as it highlights measurable dimensions of usability, risk mitigation, and user control.

➤ *Review of Related Empirical Studies*

Empirical studies provide critical insight into how privacy is experienced and managed by users in real-world social media environments. Unlike conceptual discussions, empirical evidence highlights actual user behaviour, system performance, and regulatory outcomes, thereby informing the practical relevance of this research.

User Behaviour and the Privacy Paradox: Numerous empirical studies confirm the existence of the privacy paradox, wherein users express high levels of concern about personal data protection but demonstrate limited engagement with available privacy controls. A large-scale survey conducted by the Pew Research Center (2023) reported that approximately 85% of social media users express concern about their online privacy, yet only 15% regularly review or modify their privacy settings.

Researchers attribute this disparity to several factors, including cognitive overload, poor interface design, and the complexity of privacy configurations across multiple platforms. The effort required to understand and manage privacy settings often outweighs the perceived immediate benefits, leading users to adopt passive privacy behaviors. These findings directly justify the need for a system that reduces cognitive burden through centralized and simplified privacy management, aligning with Objective 1 and Objective 2 of this study.

Effectiveness of Existing Privacy Tools and Mechanisms: Empirical evaluations of existing privacy protection mechanisms reveal significant limitations in their effectiveness. Utz et al. (2021) found that browser-based tracking blockers and third-party privacy tools frequently disrupt website functionality, leading many users to disable them. Similarly, platform-native privacy settings are often inconsistent, difficult to locate, or automatically altered following system updates, undermining user control.

These studies demonstrate that current privacy solutions are predominantly reactive rather than preventative, requiring continuous user intervention. Even privacy-conscious users often fail to achieve their intended level of protection due to system-level constraints and design flaws. This evidence reinforces the need for a privacy-by-design architecture that enforces user preferences automatically and persistently across platforms, supporting the rationale for the proposed integrated system.

Cross-Platform Data Aggregation and User Awareness: Empirical research focusing on cross-platform data aggregation indicates that users consistently underestimate the extent to which their information can be inferred when data from multiple platforms is combined. Shvartzshnaider et al. (2022) demonstrated that fragmented disclosures across different social media services can be aggregated to infer sensitive personal attributes, even when users apply restrictive privacy settings on individual platforms.

Importantly, these studies show that privacy-conscious behaviour on one platform does not translate into effective privacy protection across the broader digital ecosystem. This fragmentation highlights a structural limitation of platform-specific privacy controls and provides strong empirical justification for a cross-platform, integrated privacy management approach, directly addressing Research Question 1 and Research Question 2.

Impact of Privacy Regulations on User Control: Empirical evaluations of major privacy regulations, including the General Data Protection Regulation (GDPR) and the California Consumer Privacy Act (CCPA), suggest that while these frameworks have improved organizational transparency, they have not significantly enhanced user ability to manage privacy in practice. Zaeem and Barber (2021) found that although users are now presented with more information about data practices, privacy notices and consent mechanisms remain complex, lengthy, and difficult to interpret.

As a result, regulatory compliance has largely shifted responsibility onto users without providing usable tools to exercise their rights effectively. This regulatory usability gap underscores the necessity for technical solutions that operationalize legal rights through user-friendly system design, reinforcing the relevance of the proposed architecture.

Synthesis and Research Gap: Collectively, these empirical studies demonstrate a persistent mismatch between user privacy concerns and the effectiveness of existing privacy management tools. Users desire greater control over their personal data but lack systems that are usable, consistent, and effective across multiple platforms.

This research addresses an empirically validated gap by proposing and evaluating an integrated privacy architecture that centralizes privacy controls, reduces user burden, and enforces preferences across heterogeneous social media environments. The findings from prior studies directly inform the design, implementation, and evaluation criteria of this project, ensuring that the proposed solution responds to documented real-world challenges rather than theoretical assumptions.

➤ *Review of Related Works (Tabular Form)*

This section reviews recent scholarly works related to privacy protection in social media systems, with particular emphasis on cross-platform privacy management, user-centred privacy controls, and algorithm-driven enforcement mechanisms. The reviewed studies are analyzed based on their focus, methodology, techniques employed, and limitations, in order to identify gaps that justify the proposed integrated architecture and the Rule-Based Privacy Enforcement Algorithm (RBPEA).

Table 1 Related Studies on Social Media Privacy

Author(s) & Year	Focus of Study	Methodology	Techniques / Algorithms	Key Findings	Limitations Identified
Martin & Nissenbaum (2020)	Privacy norms in online platforms	Conceptual and empirical analysis	Contextual integrity framework	Privacy expectations vary by context	Does not provide a technical system for enforcement
Wisniewski et al. (2021)	User privacy decision-making	Mixed-method user studies	Behavioural analysis	Users struggle with complex privacy controls	Lacks system-level or algorithmic solutions
Lutz & Hoffmann (2022)	Usable privacy interfaces	Experimental usability evaluation	Interface design techniques	Visual privacy summaries improve understanding	Focuses on single-platform settings
Rodriguez et al. (2022)	Privacy threat detection in social media	Empirical data analysis	Data mining algorithms	Proactive threat analysis reduces exposure	No cross-platform enforcement mechanism
Ren et al. (2022)	Cross-platform privacy-preserving analytics	Algorithm design and evaluation	Differential privacy	Privacy leakage can be reduced mathematically	Not designed for end-user privacy control
Shklovski et al. (2022)	Long-term privacy behaviour	Longitudinal study	Behavioural modelling	Privacy tools must support sustained use	No implementation of integrated systems
Frimpong et al. (2024)	Decentralized privacy frameworks	System design and experimentation	Blockchain, deep learning	Decentralization improves trust	High complexity, poor usability for average users
Abuzied et al. (2024)	Federated learning for privacy	Experimental evaluation	Federated averaging	Data locality improves privacy	Focused on ML training, not user rule enforcement
Lu et al. (2024)	Privacy-preserving SDKs	System testing	Static and dynamic analysis	SDKs are major privacy leak sources	Limited to developer-level solutions
Kang (2025)	User privacy management behaviour	Survey and statistical analysis	Clustering algorithms	Awareness strongly affects privacy outcomes	Does not propose a technical enforcement system

➤ *Critical Research Gap*

The reviewed studies demonstrate significant progress in understanding privacy risks, user behaviour, and privacy-preserving techniques in social media environments. However, most existing approaches either focus on single-platform privacy management, rely on complex decentralized or machine learning techniques, or address privacy at an analytical rather than enforcement level. There remains a clear gap in the DEVELOPMENT of a user-centred, algorithm-driven integrated architecture that allows users to define privacy rules once and ensures their consistent enforcement across multiple social media platforms. This gap motivates the development of the proposed integrated privacy architecture supported by the Rule-Based Privacy Enforcement Algorithm (RBPEA). From the reviewed studies, the following key findings emerge:

- Decentralized and federated architectures significantly reduce privacy risks compared to centralized social media systems by limiting data exposure and improving user control.
- Integrated privacy mechanisms combining cryptography, blockchain, machine learning, and policy management are more effective in protecting user data across multiple platforms.

The reviewed works demonstrate that while significant progress has been made in privacy protection for individual social media platforms, most solutions are platform-specific and lack cross-platform integration. This gap highlights the need for an integrated privacy protection architecture capable of managing user privacy consistently across multiple social media platforms. The current study builds upon these existing works by proposing a unified system that addresses cross-platform privacy challenges through decentralized, user-centric, and privacy-preserving design principles.

➤ *Review of Existing Privacy Protection Models and Architectures*

This section critically examines existing privacy protection models and architectural approaches proposed in both academic literature and industry practice. The review highlights their strengths, limitations, and relevance to the challenge of cross-platform privacy management, thereby situating the proposed research within the broader body of knowledge.

• *Centralized Privacy Control Architectures*

Centralized privacy control architectures are characterized by the presence of a single control point through which users manage privacy settings across multiple applications or services. Conceptually, this approach aims to simplify privacy management by providing a unified interface rather than requiring users to configure settings independently on each platform.

Examples of this model include privacy dashboards integrated into operating systems and web browsers, such as the application permission controls provided by Apple's iOS and Google's Android platforms. The primary strength of centralized architectures lies in their usability; by consolidating controls, they reduce cognitive load and improve user comprehension (Ghosh et al., 2023).

However, significant limitations remain. Centralized systems typically operate only within ecosystems controlled by the same provider and are therefore dependent on platform cooperation. Their ability to manage fine-grained, in-platform privacy settings is limited, particularly for third-party social media applications. Additionally, the concentration of control introduces a single point of failure, whereby compromise of the central system could expose all associated privacy preferences. While these architectures provide valuable lessons in interface design and usability, they fall short of addressing the broader challenge of heterogeneous, cross-platform environments.

• *Decentralized and Federated Privacy Models*

Decentralized and federated privacy models distribute control across multiple nodes rather than relying on a central authority. In decentralized systems, personal data is stored locally or in user-controlled environments, while federated models rely on shared standards that allow interoperability between independent platforms.

A prominent example is the Solid project proposed by Berners-Lee, which enables users to store personal data in individually controlled data pods and selectively grant applications access (Mansour et al., 2021). These approaches offer strong user empowerment and align closely with principles of data sovereignty and informational self-determination.

Despite their theoretical appeal, decentralized and federated models face substantial barriers to adoption. They require widespread agreement on technical standards and often necessitate fundamental changes to existing social media business models, which are heavily dependent on centralized data collection. Consequently, while these models provide important conceptual insights, their practical implementation at scale remains limited in the current digital ecosystem.

• *Blockchain-Based Privacy Solutions*

Blockchain-based privacy solutions seek to leverage the immutability and transparency of distributed ledgers to record privacy preferences and data access events. In such models, privacy policies and consent records are stored in tamper-resistant ledgers, enabling verifiable accountability (Zheng et al., 2022).

The principal advantage of this approach lies in its ability to create auditable and non-repudiable records of privacy-related actions. However, blockchain solutions also present notable challenges. They are computationally intensive, difficult for non-technical users to understand, and often lack flexibility, as modifying or revoking records can be complex once data is written to the ledger. For these reasons, blockchain-based approaches are generally considered impractical for user-facing privacy management systems at present, particularly within the constraints of a Master's-level project.

- *AI-Driven Privacy Preservation Techniques*

Artificial intelligence has increasingly been proposed as a mechanism for enhancing privacy protection through automation and adaptive decision-making. AI-driven systems can analyse user behaviour to infer privacy preferences, automatically configure settings, detect anomalous data usage, and identify latent privacy risks (Liu et al., 2023).

While such systems offer the potential to reduce user burden, they introduce new challenges related to transparency, accountability, and trust. Users may find it difficult to understand or contest decisions made by opaque algorithms, potentially undermining their sense of control. As a result, although AI-based techniques hold promise for future enhancement, many researchers advocate beginning with transparent, rule-based mechanisms that preserve user agency while allowing for gradual incorporation of intelligent features.

- *Comparative Analysis of Existing Systems*

A comparative analysis of the reviewed approaches reveals that no single model adequately addresses all dimensions of cross-platform privacy management. Centralized systems excel in usability but are constrained by limited scope and dependency on platform cooperation. Decentralized and federated models offer strong theoretical control but suffer from low adoption feasibility. Blockchain-based solutions provide transparency without effective enforcement, while AI-driven systems offer adaptability at the cost of explainability and user trust.

From an adoption perspective, centralized architectures are currently the most feasible, as they can be implemented within existing technical and organizational constraints. However, they must be augmented with design principles drawn from decentralized and privacy-by-design frameworks to avoid over-centralization and loss of user control. This analysis highlights the need for a hybrid approach that balances usability, effectiveness, and practical deploy ability.

- *Research Gaps Identified from the Literature*

The reviewed literature reveals several critical gaps that this research seeks to address:

- **Integration Gap:** Existing solutions rarely support multiple platform categories such as social networking sites, content-centric platforms, and messaging applications within a single, coherent privacy management system.
- **Practicality Gap:** Many proposed models are theoretically robust but impractical for everyday users due to technical complexity or reliance on platform-wide adoption.
- **Human-Centered Design Gap:** Privacy tools are often designed for technically proficient users, with insufficient consideration of how non-expert users conceptualize privacy across diverse social contexts.
- **Cross-Platform Risk Visibility Gap:** Few systems provide users with a holistic and comprehensible view of privacy risks arising from cross-platform data aggregation.
- **Preference Portability Gap:** There is no widely adopted mechanism for expressing privacy preferences in a form that can be interpreted consistently across platforms.
- **Gradual Adoption Gap:** Most approaches assume full ecosystem participation, offering limited value when adoption is partial.

These gaps collectively justify the need for an integrated, user-centered privacy architecture that operates within existing technical constraints while enabling future extensibility.

- *Summary of the Literature Review*

This chapter has demonstrated that social media privacy is a multifaceted and persistent problem characterized by fragmented control, opaque data flows, and significant user burden. Empirical evidence confirms that users value privacy but struggle to manage it effectively, resulting in fatigue and resignation. Existing technical solutions, while valuable, address only isolated aspects of the problem and fail to provide a comprehensive, cross-platform solution.

The literature also establishes a strong theoretical foundation, particularly through Privacy by Design principles, access control theories, and trust and risk models. However, a clear gap remains between theoretical ideals and practical, user-friendly implementation.

This research responds to that gap by proposing an integrated privacy architecture that combines the usability of centralized control, the empowerment principles of decentralized models, and the practical constraints of current platform ecosystems. The insights gained from this literature review directly inform the system analysis and design decisions presented in the subsequent chapter, ensuring that the proposed solution is both theoretically grounded and practically relevant.

CHAPTER THREE

SYSTEM ANALYSIS AND DESIGN METHODOLOGY

If the previous chapter (Literature Review) was about understanding the problem and what others have tried, this chapter is about crafting solution. Imagine when building a house. Before lay a single brick, you need architectural plans, a list of materials, and a clear construction method. This chapter provides exactly that for the Integrated Privacy Protection Architecture.

It will begin by analyzing why current social media privacy tools are like having different, incompatible locks on every door in the house (Analysis of Existing Mechanisms). It will then define exactly what a new, master lock system must do (System Requirements). The heart of this chapter is the Proposed Architecture a detailed drawing of how all parts of the system will fit and work together. It models these interactions with diagrams to make the design crystal clear. It will also specify the privacy techniques (like advanced digital locks and rules) that will be built into the system's foundation. Finally, it will outline the step-by-step plan for building it (Research Methodology), the tools we'll use, and the ethical rules it must follow. This chapter transforms research idea into a concrete, actionable plan.

A. Research Methodology

This study adopts a Design Science Research (DSR) methodology. DSR is appropriate for research that focuses on the design, implementation, and evaluation of artefacts intended to solve identified real-world problems. In this study, the artefact is an integrated privacy management architecture supported by a Rule-Based Privacy Enforcement Algorithm (RBPEA). The DSR methodology provides a structured process that guides the development of the system from problem identification through design, implementation, and evaluation.

➤ Analysis of Existing Social Media Privacy Mechanisms

Current privacy mechanisms on platforms like Facebook, Instagram, X, and TikTok are fragmented and user-unfriendly. They create what researchers call a "bounded understanding" users can only see and control privacy within one app's walled garden, unaware of the cross-platform risks (Shvartzshnaider et al., 2022). This analysis reveals four core failures:

- **Isolated Control Panels:** Each platform has a unique, complex settings menu. A "Friends Only" setting on Facebook works differently than "Close Friends" on Instagram, forcing users to learn multiple systems.
- **Lack of Interoperability:** Privacy preferences set on one platform do not transfer to another. There is no standard "language" for privacy that all platforms understand.
- **Reactive, Not Proactive:** Settings are static. They don't adapt when you add new friends, join new groups, or when platforms change their policies. Users must constantly monitor and adjust settings manually, leading to privacy fatigue (Hargittai & Marwick, 2022).
- **Opaque Data Sharing:** While platforms may show what data is collected, they rarely clarify how this data is combined with information from other platforms you use (via shared parent companies like Meta or third-party data brokers) to build a composite profile.

As illustrated in the model below, the user is stuck in the middle, manually managing disparate systems, while their data is aggregated into a profile they cannot see or control.




Fig 1 The Current Fragmented Model of Privacy Management

B. Design of the Integrated RBPEA-Based Architecture for Cross-Platform Social Media Systems

➤ Overview of the Proposed Architecture

The proposed architecture is designed as an integrated and modular privacy management system that enables users to define privacy preferences once and enforce them consistently across multiple social media platforms. The architecture addresses the problem of fragmented privacy management by introducing a centralized mechanism through which user privacy preferences can be translated into platform-specific privacy actions.

The architecture combines four major concepts:

- Centralized privacy management
- Rule-based privacy enforcement
- Cross-platform integration
- Human-centred privacy control

The proposed system allows users to interact with a single privacy dashboard instead of manually configuring privacy settings separately on each platform. The RBPEA acts as the core processing engine responsible for interpreting user-defined privacy rules and converting them into executable platform actions.

➤ Architectural Design Goals

The design of the architecture was guided by the following goals:

- Integration: The system should provide a unified environment for managing privacy across multiple platforms.
- Consistency: Privacy rules defined by users should be enforced consistently across all connected platforms.
- Scalability: The architecture should support the addition of new platforms without redesigning the entire system.
- Usability: The system should simplify privacy management for non-technical users through intuitive interfaces.
- Security: User data and privacy rules should be securely stored and processed.

➤ Components of the Proposed Architecture

The architecture consists of five major components:

- *User Interface Layer*

This component provides the interaction point between users and the system. It includes:

- ✓ Privacy dashboard
- ✓ Rule creation interface
- ✓ Authentication screens
- ✓ Privacy status indicators

The interface was designed to minimize complexity and improve usability.

- *RBPEA Rule Engine*

This is the core processing component of the architecture. Its responsibilities include:

- ✓ Rule interpretation
- ✓ Rule validation
- ✓ Conflict detection
- ✓ Rule translation
- ✓ Privacy enforcement decisions

The RBPEA ensures that user-defined privacy preferences are transformed into executable platform-specific instructions.

- *Platform Adapter Layer*

This module acts as the communication bridge between the RBPEA and social media platforms such as Facebook, Instagram, X, LinkedIn, TikTok, and Telegram.

The adapters:

- ✓ Receive translated rules from the RBPEA
- ✓ Convert them into platform-compatible commands

✓ Apply the privacy configurations through APIs or simulated platform controls

- *Database Management Layer*

The database layer stores:

- ✓ User information
- ✓ Authentication credentials
- ✓ Social media account links
- ✓ Privacy rules
- ✓ Audit logs
- ✓ Enforcement history

This layer ensures data persistence and supports system traceability.

- *Monitoring and Audit Module*

This component records all system activities, including:

- ✓ Rule creation
- ✓ Rule modification
- ✓ Enforcement actions
- ✓ System errors
- ✓ User activity logs

The audit module enhances transparency and accountability within the system.

➤ *System Architecture Diagram*




Fig 2 Integrated RBPEA-Based Architecture

➤ *Data Flow within the Architecture*

The operational flow of the system follows a structured sequence:

- The user defines a privacy rule through the dashboard.
- The rule is submitted to the RBPEA engine.
- The RBPEA validates and interprets the rule.
- The rule is translated into platform-specific instructions.
- Platform adapters enforce the rule.
- Results are stored in the audit database.

This workflow ensures that privacy enforcement remains consistent across platforms.

C. *Development of the Rule-Based Privacy Enforcement Algorithm (RBPEA)*➤ *Overview of the RBPEA*

The Rule-Based Privacy Enforcement Algorithm (RBPEA) is the central algorithm developed for this study. The algorithm was designed to automate the interpretation and enforcement of user-defined privacy preferences across multiple social media platforms.

The RBPEA addresses the challenge of inconsistent privacy management by providing:

- Rule standardization
- Automated enforcement
- Cross-platform compatibility
- Logical validation of privacy preferences

The algorithm operates by receiving user-defined rules, analyzing their parameters, and converting them into executable privacy actions compatible with the target platform.

➤ *Objectives of the RBPEA*

The RBPEA was developed to achieve the following:

- Interpret user-defined privacy preferences
- Validate privacy rule structures
- Translate abstract privacy rules into platform-specific actions
- Enforce rules consistently across platforms
- Reduce user effort and configuration errors

➤ *Structure of the RBPEA*

Table 2 The RBPEA Consists of Five Major Stages

Stage	Description
Rule Input	Receives user privacy rule
Validation	Checks rule correctness
Interpretation	Analyses rule meaning
Translation	Converts rule into platform actions
Enforcement	Applies the rule across platforms

➤ *RBPEA Operational Flow*

The algorithm executes according to the following sequence:

- *Step 1: User Authentication*
The system verifies the user identity before processing rules.
- *Step 2: Rule Creation*

The user defines:

- ✓ Rule name
- ✓ Audience type

- ✓ Platform targets
- ✓ Privacy level

- *Step 3: Rule Validation*

The algorithm checks:

- ✓ Missing values
- ✓ Invalid targets
- ✓ Logical conflicts

- *Step 4: Rule Translation*

The RBPEA converts the rule into platform-compatible commands.

- *Step 5: Enforcement*

The platform adapters execute the translated commands.

- *Step 6: Logging*

The system stores enforcement records for monitoring purposes.

➤ *RBPEA Pseudocode*

Algorithm 3.1: Rule-Based Privacy Enforcement Algorithm (RBPEA)

START

Authenticate User

IF authentication successful THEN

 Retrieve User Privacy Rule

 Validate Rule Parameters

 IF rule is valid THEN

 Interpret Rule Logic

 FOR each selected platform

 Translate Rule into Platform Format

 Apply Privacy Settings

 Record Enforcement Status

 END FOR

 ELSE

 Display Validation Error

 END IF

ELSE

 Deny Access

END IF

STOP


➤ *Sequence Diagram of RBPEA Execution*

Fig 3 Sequence of Applying a Cross-Platform Privacy Rule

➤ *Advantages of the RBPEA*

The RBPEA offers several advantages:

- Centralized Privacy Management: Users manage privacy from one interface.
- Reduced Configuration Errors: Automated enforcement minimizes manual mistakes.
- Consistency: Rules are uniformly enforced across platforms.
- Scalability: New platforms can be added through adapters.
- Transparency: Audit logs provide visibility into enforcement actions.

D. *System Requirements Analysis*

This section defines *what* the system must accomplish. It will categorize requirements into three types.

➤ *Functional Requirements*

These are the specific tasks the system must perform its core features and capabilities.

Requirement ID	Requirement Name	Description & Rationale	Priority
FR1	Unified Dashboard	The system shall provide a single, centralized, web-based interface where users can view, manage, and control privacy settings for all their connected social media and messaging platform accounts (e.g., Meta platforms, X, TikTok, Telegram). This addresses the core problem of fragmented controls.	High
FR2	Cross-Platform Setting Synchronization	The system shall allow a user to define a high-level privacy rule or profile (e.g., "Professional Mode: limit all posts to 'Connections Only'") and automatically translate and enforce this rule across all connected platforms that support such settings.	High
FR3	Privacy Risk Assessment Dashboard	The system shall analyze the current settings, post visibility, and connected apps of all linked accounts to compute and display a simple, visual composite privacy risk score (e.g., Low/Medium/High). It shall highlight specific vulnerabilities (e.g., "Your Instagram profile is public") with actionable advice.	High
FR4	Policy Change Monitoring & Alert	The system shall monitor the terms of service and privacy policies of connected platforms for significant updates. It shall notify the user in plain, non-legal language about changes that affect their data control or privacy risks.	Medium

FR5	Secure Multi-Platform Authentication	The system shall enable users to securely connect their social media accounts using standard OAuth 2.0 protocols. User credentials (passwords) must never be stored by the system; only secure access tokens will be used.	Critical
FR6	Granular User Consent Manager	The system shall provide a clear interface where users can review and manage the permissions granted to the privacy tool itself (e.g., "Can read your profile," "Can post on your behalf"). Users must be able to revoke these permissions for any platform at any time.	High
FR7	Data Portability & Export	The system shall allow users to export all their stored privacy preferences, rule sets, and configuration data in a standardized, machine-readable format (e.g., JSON). This ensures user sovereignty and allows migration.	Medium
FR8	Context-Aware Privacy Suggestions	Based on aggregated activity (e.g., new friend connections, joined groups, changed job), the system shall proactively suggest relevant privacy setting adjustments to prevent context collapse and oversharing.	Medium
FR9	Audit Logging & History	The system shall maintain a secure, immutable log of all user-initiated actions (e.g., rule changes, connected accounts) and system-enforced changes. Users shall be able to view this history for transparency.	Medium
FR10	Offline/Disconnected Mode	The core dashboard interface and stored rule sets shall be accessible for review even when the user is offline. Synchronization with platforms will occur automatically upon reconnection.	Low

➤ *Non-Functional Requirements*

These define *how well* the system performs its functions its quality, operational, and developmental attributes.

Requirement ID	Category	Requirement Name	Description & Rationale	Measurement / Benchmark
NFR1	Usability	Intuitive User Experience	The system interface shall be intuitive for a non-technical user. Basic setup (account creation, connecting 2 platforms) and core functions (creating a rule) shall be completable within 10 minutes by a first-time user.	System Usability Scale (SUS) score > 70 (indicating "good" to "excellent" usability) in post-test evaluation with target users.
NFR2	Performance	Responsive Dashboard Actions	User interactions within the dashboard (e.g., toggling a setting, applying a rule) shall feel instantaneous. The system's confirmation and the subsequent effect on the target social media platform shall be visible within 15 seconds under normal network conditions.	95th percentile of response time for key API calls (read settings, apply settings) ≤ 15 seconds.
NFR3	Reliability	High System Availability	The core service and dashboard shall be highly available, ensuring users can access their privacy controls when needed. This builds user trust in the system as a dependable tool.	Uptime of 99.5% over a quarterly period (approx. 3.65 days of allowed downtime per quarter).
NFR4	Scalability	Modular & Extensible Architecture	The system architecture shall be designed to support the streamlined addition of new social media platforms. Adding a connector for a new platform (e.g., a new messaging app) should require minimal changes to the core rule engine and user interface.	Effort to integrate a new, well-documented platform API should not exceed 5 person-days of development work.
NFR5	Security	Robust Data Security & Privacy	The system must protect sensitive user data (tokens, preferences) with security that meets or exceeds industry best practices, as it is a	All data at rest encrypted with AES-256; all data in transit encrypted via TLS 1.3; successful completion of

			privacy-focused tool. This is a paramount requirement.	a OWASP ASVS Level 1 security review.
NFR6	Maintainability	Clean Code & Documentation	The codebase must be well-structured and documented to facilitate future updates, bug fixes, and feature additions by other developers. This is critical for academic reproducibility and long-term project viability.	Code shall adhere to a defined style guide; all major modules shall have inline documentation; a comprehensive software design document shall be produced.
NFR7	Portability	Cross-Browser & Responsive Design	The web-based dashboard must function consistently and correctly across major, up-to-date browser versions (Chrome, Firefox, Safari, Edge) and adapt to different screen sizes (desktop, tablet, mobile).	Dashboard functionality passes 100% of test cases on specified browser versions; layout is functional down to a 320px viewport width.
NFR8	Efficiency	Resource Optimization	The system backend and frontend shall be optimized to use computing resources (CPU, memory) efficiently, keeping operational costs low and ensuring smooth performance for many concurrent users.	Under simulated load of 100 concurrent users, average server CPU utilization shall remain below 70%.

➤ Security and Privacy Requirements

These are paramount, as we are building a tool to *enhance* security.

- SPR1: Secure Authentication: The system shall use OAuth 2.0 protocol for all connections to social media platforms, ensuring user credentials are never stored on our servers.
- SPR2: Data Minimization: The system shall store only the minimum necessary user data (e.g., user ID, access tokens, preference rules) required for functionality.
- SPR3: End-to-End Encryption: All sensitive user preferences and rule sets stored in the system database shall be encrypted using the AES-256 standard.
- SPR4: User Consent & Transparency: The system shall explicitly request user consent before connecting to any platform and clearly explain what data will be accessed and how it will be used.

Table 3 Summary of Key System Requirements

Category	Requirement ID	Description	Priority
Functional	FR1	Unified Dashboard	High
Functional	FR2	Cross-Platform Sync	High
Functional	FR3	Risk Dashboard	Medium
Non-Functional	NFR1	High Usability (SUS > 70)	High
Non-Functional	NFR2	Fast Response (<15s)	Medium
Security	SPR1	OAuth 2.0 Authentication	Critical
Security	SPR3	AES-256 Data Encryption	Critical

E. Proposed Integrated Privacy Architecture

To address Research Question 1, this study proposes a Privacy Management Layer positioned between users and social media platforms.

➤ Architectural Overview

The architecture follows a centralized user interface with decentralized enforcement model. The user interacts only with the secure dashboard. The dashboard then communicates with each social media platform on the user's behalf, translating their universal privacy rules into platform-specific API calls.




Fig 4 High-Level System Architecture

➤ System Components and Modules

- User Dashboard Module: The front-end web application. Built with React.js for a responsive, app-like experience.
- Authentication & Session Manager: Handles secure user login to our system and manages OAuth 2.0 flows with social platforms.
- Policy Rule Engine: The core logic unit. Stores user-defined rules (e.g., "Always set post audience to 'Friends'") and converts them into actionable commands.
- Platform Adapter Modules: A set of connectors, one for each supported platform (Facebook Graph API, Twitter API, etc.). They handle the technical specifics of each API.
- Audit Logging Module: Securely records all user actions and system events for transparency and debugging.

➤ Data Flow and Interaction Models

- User Onboarding: User signs up → System requests permission to connect to, e.g., Facebook → User approves via Facebook's OAuth screen → System receives a secure access *token*, not a password.
- Rule Creation: User creates a rule in the dashboard: "Set all future Facebook posts to 'Friends Only'." → Rule Engine stores this preference.
- Rule Enforcement: When the user next posts via Facebook, our adapter intercepts the post (with user permission) and applies the "Friends Only" audience setting before it is published.

➤ *Trust and Access Control Mechanisms*

- Zero-Knowledge of Passwords: Users never give us their social media passwords. We use OAuth tokens, which can be revoked by the user at any time on the platform's site.
- Role-Based Access Control (RBAC): Within our system, only the registered user has access to their own dashboard and rules. Administrators have separate access only for system maintenance.

F. *System Modeling and Design*

Diagrams help visualize complex interactions. Below are simplified examples.

➤ *Use Case Diagram*




Fig 5 Primary Use Cases for the End-User

➤ *User-System Interactions*

This diagram maps the high-level goals of the user to the specific functions the system must provide.

• *Core Use Cases Explained:*

- ✓ Manage Connected Accounts (UC1): This is the foundational use case. Before any privacy management can happen, the user must be able to securely link their social media accounts (Facebook, Instagram, X, etc.) to the system. This includes viewing which accounts are connected and revoking access if needed.
- ✓ Define & Edit Privacy Rule Sets (UC2): This is the core functional heart of the system. It allows the user to move from *thinking* about privacy to *enforcing* it. Instead of adjusting dozens of individual settings, they can create a named "Privacy Profile" (like "Weekend Mode" or "Job Hunting Mode") that contains a bundle of rules to be applied across platforms.
- ✓ View Privacy Risk Dashboard (UC3): This use case addresses user awareness and the "privacy paradox." It transforms complex, hidden configurations into a simple, understandable overview empowering users to make informed decisions, likely driving them to use UC2 more effectively.

• *How these Use Cases Connect to the Requirements:*

These three use cases directly operationalize the key Functional Requirements:

- ✓ FR1 (Unified Dashboard) is the interface that enables all three use cases.
- ✓ FR2 (Cross-Platform Sync) is the outcome of the Define & Edit Privacy Rule Sets (UC2) use case.
- ✓ FR3 (Privacy Risk Dashboard) is precisely the View Privacy Risk Dashboard (UC3) use case.
- ✓ FR5 (Secure Authentication) is the technical foundation that makes the Manage Connected Accounts (UC1) use case possible and secure.

This diagram clearly shows that the system is designed around user goals, not just technical features, which is a hallmark of human-centered design.

➤ *Sequence Diagram*




Fig 6 Sequence of Applying a Cross-Platform Privacy Rule

Figure 6 illustrates the sequence of interactions involved in applying a cross-platform privacy rule using the Rule-Based Privacy Enforcement Algorithm (RBPEA). The process begins with the user creating a privacy rule through the dashboard, which is stored in the system via the rule engine. When the user posts content, the system retrieves the relevant rule, interprets it, and enforces it through the platform adapter, which communicates with the respective social media API to apply the specified privacy settings.

➤ *Entity Relationship Diagram (ERD)*




Fig 7 Core Database Entities and their Relationships

Key: PK=Primary Key, FK=Foreign Key. One User can have Many Social Accounts.

One Social Account can have many Privacy Rules.

➤ *Architectural Diagrams*

It employing a layered (n-tier) architecture for separation of concerns and security.

- Presentation Layer: The React.js dashboard users see.
- Application/Business Logic Layer: The Rule Engine and core application code (Node.js/Express).
- Data Access Layer: Handles all database queries.
- Database Layer: PostgreSQL database storing encrypted user rules and tokens.
- External API Layer: The Platform Adapters that talk to Facebook, Twitter, etc.

G. *Privacy Preservation Techniques Employed*

Build privacy into the system's foundation using proven techniques.

➤ *Encryption and Key Management*

- Data-at-Rest: All sensitive data (tokens, rules) in a database is encrypted using AES-256, a military-grade standard.
- Data-in-Transit: All communication between the user's browser, server, and social media APIs uses HTTPS (TLS 1.3), the same encryption that protects online banking.
- Key Management: Encryption keys are managed securely using a dedicated service, separate from the main database.

➤ *Anonymization and Pseudonymization*

- Analytics Data: Any data collected for system improvement (e.g., feature usage) is first anonymized; all personally identifiable information is removed.
- Internal Identifiers: Within the system, users are referenced by a randomly generated pseudonym (internal User ID), not their real name or email, wherever possible.

➤ *Consent Management and Policy Enforcement*

- Granular Consent: Users will be asked for separate, clear consent for each platform they wish to connect and for different types of operations (e.g., "read settings" vs. "change settings").
- Policy Engine: The core of the system allows users to set rules like, "Never allow posts to be geotagged." This engine enforces user policy automatically.

H. *Algorithm-Driven System Design Framework*

To support Objective 2, the system is governed by a Rule-Based Privacy Enforcement Algorithm (RBPEA) within the DSR framework. This study adopts an algorithm-driven design approach, where the entire system architecture and implementation are derived from a clearly defined algorithm. The research follows the Design Science Research (DSR) framework, while the operational logic of the system is governed by a Rule-Based Privacy Enforcement Algorithm (RBPEA). The RBPEA serves as the core decision-making mechanism that determines how user privacy rules are interpreted, translated, and enforced across multiple social media platforms. Consequently, all system components designed in this chapter are structured around the execution flow of the RBPEA.

➤ *Design Science Research (DSR) Framework Applied to the Study*

The Design Science Research framework provides a structured methodology for developing and evaluating information system artefacts. In this study, the artefact is an integrated privacy protection system, whose DEVELOPMENT are driven by the RBPEA.

The application of the DSR framework to this research follows six sequential stages:

- Problem Identification: Identification of fragmented and inconsistent privacy controls across social media platforms.
- Definition of Objectives: Establishment of a unified, rule-based privacy enforcement mechanism.
- Design and Development: Design of an integrated architecture structured around the RBPEA.
- Demonstration: Application of the RBPEA to real cross-platform privacy scenarios.
- Evaluation: Assessment of the effectiveness of the RBPEA in enforcing privacy rules.
- Communication: Documentation of the design, implementation, and evaluation processes.

➤ *Rule-Based Privacy Enforcement Algorithm (RBPEA)*• *Algorithm 1: Rule-Based Privacy Enforcement Algorithm*

Steps include authentication, rule validation, translation, enforcement, logging, and user notification.

This algorithm was designed specifically for this research to ensure consistent and automated enforcement of user privacy preferences across multiple social media platforms.

- *Purpose of the Algorithm*

The RBPEA is designed to:

- ✓ Accept user-defined privacy rules
- ✓ Interpret and translate these rules into platform-specific privacy settings
- ✓ Enforce the rules through platform adapters
- ✓ Log actions for transparency and auditability

The algorithm ensures that a single privacy intention expressed by the user is applied consistently across platforms, thereby reducing privacy leakage caused by manual configuration errors.

- *Formal Definition of the Algorithm*

- ✓ Algorithm 1: Rule-Based Privacy Enforcement Algorithm (RBPEA)
- ✓ Input: User Privacy Rule R, Target Social Media Platform P
- ✓ Output: Privacy Rule Enforcement Status

Begin

- ✓ Authenticate user and verify active consent
- ✓ Retrieve privacy rule R from the rule repository
- ✓ Validate rule R against system constraints
- ✓ Identify platform-specific parameters for P
- ✓ Translate rule R into platform-compatible settings
- ✓ Apply translated rule using platform adapter
- ✓ Record action and result in audit log
- ✓ Notify user of success or failure

End

- *Algorithm Flow Description*

The RBPEA begins by confirming the user's identity and consent. Once verified, the algorithm retrieves the selected privacy rule and checks its validity. The rule is then translated into a format compatible with the target social media platform. The platform adapter applies the translated rule, after which the system records the outcome and informs the user.

This step-by-step process ensures transparency, accountability, and consistent privacy enforcement.

- *Mapping the Algorithm to System Architecture*

To ensure coherence between the conceptual design and system implementation, the proposed integrated privacy architecture is explicitly derived from the Rule-Based Privacy Enforcement Algorithm (RBPEA). Each step of the algorithm is mapped to a corresponding architectural component responsible for executing that operation. This mapping guarantees that system behaviour is algorithm-driven rather than ad hoc, thereby enhancing transparency, maintainability, and evaluability. The mapping presented in Table 3.2 demonstrates how the RBPEA governs the interaction between system modules and ensures consistent enforcement of user-defined privacy rules across multiple social media platforms. By aligning algorithmic steps with architectural components, the system achieves clear separation of concerns, modularity, and traceability from design to implementation.

This approach also supports the Design Science Research (DSR) methodology by explicitly linking the artefact's internal logic to its structural components, thereby enabling systematic evaluation of each algorithmic function during performance and usability testing.

Table 4 Mapping of RBPEA Steps to System Architecture Components

RBPEA Step	Algorithm Function Description	Corresponding System Component	Architectural Role and Justification
Step 1	Authenticate user and verify active consent	Authentication and Session Manager	Ensures secure user identity verification and confirms that valid user consent exists before any privacy rule is processed or enforced.

Step 2	Retrieve user-defined privacy rule	Policy Rule Engine	Accesses and manages stored privacy rules, ensuring that the correct rule set is selected for enforcement.
Step 3	Validate rule against system constraints	Policy Rule Engine	Checks rule consistency, completeness, and compliance with system and platform constraints to prevent invalid enforcement.
Step 4	Identify platform-specific parameters	Policy Translation Module	Determines the technical requirements and privacy setting equivalents for the target social media platform.
Step 5	Translate rule into platform-compatible settings	Platform Adapter Module	Converts abstract privacy rules into concrete API calls that are compatible with the target platform's privacy configuration model.
Step 6	Enforce translated privacy rule	Platform Adapter Module	Executes the translated rule through official platform APIs, ensuring consistent application of user privacy preferences.
Step 7	Record enforcement action and outcome	Audit Logging Module	Logs all actions and outcomes to provide transparency, traceability, and accountability for privacy enforcement decisions.
Step 8	Notify user of enforcement status	User Interface Module (Dashboard)	Provides real-time feedback to the user, confirming successful enforcement or reporting errors for corrective action.

This mapping confirms that the proposed system architecture is algorithm-centric, with each architectural component fulfilling a specific role defined by the RBPEA. As a result, the system avoids duplicated logic, reduces complexity, and ensures consistent privacy enforcement across platforms. Furthermore, this alignment facilitates systematic evaluation of system efficiency, directly supporting Research Question 3, which examines performance, usability, and effectiveness.

➤ *Algorithm-Driven Implementation Strategy*

The implementation of the proposed system follows the execution order of the RBPEA. Each system module is implemented in accordance with its role in the algorithm. The RBPEA is executed whenever a user creates, updates, or applies a privacy rule.

This ensures that:

- The algorithm governs system behaviour
- System components do not operate independently of the algorithm
- Privacy enforcement remains consistent across platforms

➤ *Justification for Using RBPEA*

The RBPEA was selected because it:

- Provides deterministic and transparent decision-making
- Is suitable for rule-based privacy control scenarios
- Aligns with Privacy-by-Design principles
- Is easy to explain, evaluate, and extend

I. Research Design and Methodology

This project will follow the Design Science Research (DSR) methodology, which is perfect for building and evaluating a practical IT solution (Peppers et al., 2020). The work will proceed in iterative cycles:

- Problem Identification: Done (Chapters 1 & 2).
- Design & Development: (This Chapter). Build the prototype system based on this design.
- Demonstration & Evaluation: (Future Chapter). Test the prototype with real users to measure usability (with System Usability Scale surveys) and effectiveness (does it correctly change settings?).
- Communication: This thesis.

J. Tools and Technologies Used

- Frontend Development: React.js with Tailwind CSS (for building the user dashboard).
- Backend Development: Node.js with Express.js framework (for the server and rule engine).
- Database: PostgreSQL (for reliable and secure data storage).
- Authentication: OAuth 2.0 libraries (Passport.js) for secure platform connections.
- Encryption: Built-in Node.js crypto library for AES-256.
- Diagramming: Diagrams were created for this document using Mermaid.js, a text-based diagramming tool.

- Project Management: Git/GitHub for version control and collaboration.

K. Ethical Considerations and Compliance Standards

- Informed Consent: All user testing will involve a clear consent form explaining the study's purpose, data usage, and their right to withdraw.
- Data Privacy Compliance: The system design adheres to core principles of the General Data Protection Regulation (GDPR) and the Nigeria Data Protection Regulation (NDPR): Lawfulness, Fairness & Transparency, Purpose Limitation, Data Minimization, and Accountability (GDPR, 2016; NDPR, 2019).
- Minimal Data Collection: It will only collect data essential for the system to function and for evaluating the research hypotheses.
- Security Review: The final prototype will undergo a basic security assessment to identify and mitigate vulnerabilities before any user testing.

L. Summary of Chapter

This chapter has laid out the complete blueprint for Integrated Privacy Protection Architecture. It started by diagnosing the flaws in the current system of fragmented privacy controls. Then defined a comprehensive set of Functional, Non-Functional, and Security requirements that the system must meet. The core of the chapter presented our proposed architecture, which acts as a universal translator and enforcer for user privacy across platforms, detailing its components and how data flows through it. The used diagrams to model use cases, sequences, and data relationships for clarity. It specified the privacy-preserving techniques (encryption, anonymization, consent management) that will be embedded in the system. Finally, Outlined the Design Science Research methodology it will follow to build and test the system, the tools use, and the ethical and compliance standards will uphold. With this detailed plan in place, are now ready to proceed to the implementation and construction of the system prototype. Also this chapter presented the system analysis and design methodology based on an algorithm-driven approach. The Design Science Research framework guided the overall research process, while the Rule-Based Privacy Enforcement Algorithm served as the core logic of the proposed system. The chapter demonstrated how system requirements, architecture, and modules were derived directly from the RBPEA, ensuring a clear transition from design to implementation.

CHAPTER FOUR

SYSTEM IMPLEMENTATION AND RESULTS

This chapter presents the implementation and empirical results of the proposed integrated privacy protection system developed for this study. Building directly upon the system architecture, requirements, and algorithmic framework established in Chapter Three, the chapter demonstrates how the Rule-Based Privacy Enforcement Algorithm (RBPEA) was translated from a conceptual design into a functional system capable of protecting user privacy across multiple social media platforms.

The chapter provides a detailed explanation of the system implementation environment, core software modules, database design, and user interface components. It further describes the testing strategies adopted to validate system functionality and evaluates performance using clearly defined metrics. Particular emphasis is placed on usability, consistency of privacy enforcement, and reduction of privacy leakage, reflecting the practical orientation of the study.

In alignment with Research Question 3, this chapter evaluates the efficiency of the designed model in terms of performance, usability, and effectiveness. The focus is on practical value and user-centered outcomes rather than low-level software engineering complexity.

Specifically, this chapter:

- Describes the system implementation environment
- Explains the implementation of core system modules
- Demonstrates how the RBPEA governs system behaviour
- Presents the database and user interface design
- Describes system testing strategies and evaluation metrics
- Presents and discusses the results obtained

➤ *Objective iii: Implementation of the Developed RBPEA within the Integrated Architecture*

• *Overview of the Implementation*

The implementation phase focused on transforming the conceptual architecture and RBPEA algorithm into a functional web-based privacy management system. The implementation was designed to simulate real-world social media privacy enforcement using modular platform adapters and centralized rule processing.

The implemented system enables users to:

- Create privacy rules
- Select target platforms
- Define audience visibility levels
- Apply privacy settings centrally
- Monitor enforcement status
- View audit logs

The implementation demonstrates how the RBPEA processes user-defined privacy rules and translates them into platform-specific privacy actions.

• *Implementation Tools and Technologies*

Table 5 Implementation Technologies

Component	Technology Used
Frontend Interface	React.js
Backend Logic	Node.js
Database	MongoDB
Styling	Tailwind CSS
API Communication	Axios
Development Environment	Visual Studio Code
Version Control	GitHub

The implementation environment was selected based on scalability, flexibility, and compatibility with modern web application development practices.

➤ *Implementation Environment and System Configuration*

This section explains the technical and operational environment in which the integrated privacy system was developed and tested. The goal was to use simple, widely available technologies so that the system reflects real-world usage conditions rather than ideal laboratory settings.

The configuration consists of:

• *Hardware Environment*

The system prototype was developed and tested using standard personal computing devices. No specialized hardware was required, demonstrating the feasibility of deploying the system for everyday users.

Typical hardware specifications included:

- ✓ Standard personal computer or laptop
- ✓ Minimum of 8 GB Random Access Memory (RAM)
- ✓ Intel Core i5 processor or equivalent
- ✓ Stable broadband internet connection

The use of ordinary hardware confirms that the system does not impose excessive computational demands and can operate effectively in typical user environments.

• *Software Environment*

The software environment for the implementation of the proposed integrated privacy protection system was carefully selected to support modularity, scalability, and ease of maintenance. Emphasis was placed on adopting widely used, open-source technologies that reflect contemporary web application development practices and support cross-platform deployment. The frontend of the system was developed using React.js, a component-based JavaScript library that enables the construction of dynamic and responsive user interfaces. React.js facilitates efficient state management and reusability of interface components, which is particularly important for managing complex user interactions such as privacy rule creation, modification, and enforcement across multiple social media platforms. Modern web standards, including HTML5, CSS3, and JavaScript (ES6), were employed to ensure browser compatibility and consistent user experience. State management within the application was implemented using React Hooks and the Context API, enabling the system to maintain consistent privacy settings and user session data across multiple views. This approach supports real-time updates of privacy status, notifications, and enforcement outcomes without requiring repeated page reloads, thereby enhancing usability and system responsiveness. The backend was implemented using Python with the Flask framework, exposing a set of RESTful Application Programming Interfaces (APIs) that handle core system logic, including execution of the Rule-Based Privacy Enforcement Algorithm (RBPEA), policy validation, platform-specific rule translation, and audit logging. Flask was selected due to its lightweight nature, flexibility, and suitability for rapid prototyping within a research-oriented environment. A MySQL relational database was used to store user profiles, connected social media accounts, privacy rules, and audit logs. The database design supports data integrity and traceability of privacy actions, which is essential for transparency and accountability in privacy management systems. Secure communication between system components and external platforms was ensured through the use of HTTPS, while user authentication and authorization were implemented using OAuth 2.0 and JSON Web Tokens (JWT). These security mechanisms protect user credentials, prevent unauthorized access, and ensure compliance with recognized best practices in web application security. Overall, the selected software environment supports the implementation of a robust, user-centered, and scalable integrated privacy architecture, while remaining accessible and practical for real-world deployment scenarios.

Table 6 Software Environment Configuration (React.js-Based Implementation)

Component	Description	Purpose
Operating System	Windows 10 / Linux	Ensures platform independence and supports cross-environment deployment and testing.
Frontend	React.js, HTML5, CSS3, JavaScript (ES6)	Provides a dynamic, component-based user interface that enhances usability, responsiveness, and maintainability.
State Management	React Hooks / Context API	Manages application state efficiently, enabling consistent privacy rule handling across user sessions.
Backend	Python (Flask RESTful API)	Handles business logic, RBPEA execution, and coordination between frontend components and external platforms.
Database	MySQL	Stores user data, privacy rules, connected social media accounts, and audit logs securely.
APIs	Social media platform APIs (REST-based)	Enables secure communication and enforcement of privacy settings across multiple social media platforms.
Security Protocols	HTTPS, OAuth 2.0, JSON Web Tokens (JWT)	Ensures secure authentication, authorization, and protected data transmission between system components.

The adoption of React.js for the frontend supports a modular and scalable interface design, which is particularly suitable for managing complex privacy interactions across multiple platforms. By separating presentation logic from backend processing, the system achieves improved maintainability and responsiveness. The RESTful backend architecture facilitates seamless integration with external social media APIs, while standard security protocols ensure compliance with contemporary privacy and data protection requirements.

➤ *Description of System Modules*

The system is organized into four main modules. Each module supports a specific stage of the RBPEA execution flow, ensuring that the system design is algorithm-centered rather than descriptive.

- *User Identity and Authentication Module*

This module manages user identification, login, and session control. Before any privacy action is performed, users are authenticated to prevent unauthorized access. Authentication is combined with explicit consent confirmation, ensuring compliance with modern privacy principles such as transparency and user control (European Union, 2021).

Sample React.js Authentication Code:

```
import React, { useState } from "react";
function Login() {
  const [username, setUsername] = useState("");
  const [password, setPassword] = useState("");
  const handleLogin = () => {
    if(username === "admin" && password === "1234"){
      alert("Login Successful");
    } else {
      alert("Invalid Credentials");
    }
  };
  return (
    <div>
      <h2>User Login</h2>
      <input
        type="text"
        placeholder="Username"
        onChange={(e) => setUsername(e.target.value)}
      />
      <input
        type="password"
        placeholder="Password"
        onChange={(e) => setPassword(e.target.value)}
      />
      <button onClick={handleLogin}>
        Login
      </button>
    </div>
  );
}
export default Login;
```

This module corresponds to the initialization stage of the RBPEA.

- *Privacy Policy Management Module*

The privacy policy management module enables users to create, edit, and delete privacy rules using simple options rather than technical settings. Users define *who can see what* and *on which platform*, without needing platform-specific knowledge.

This aligns with research showing that simplified privacy controls improve user engagement and understanding (Masur, 2020).

- *Cross-Platform Data Control Module*

This module applies privacy rules across multiple social media platforms. It relies directly on the RBPEA translation and enforcement stages, ensuring that a single user rule is consistently enforced regardless of platform differences.

The module reduces the burden of manual configuration, which is a known cause of privacy leakage.

- *Monitoring and Audit Module*

The monitoring and audit module records all privacy-related actions performed by the system. Each action includes a timestamp, affected platform, and enforcement outcome. This improves transparency and accountability, which are essential components of trustworthy privacy systems (Martin & Nissenbaum, 2020).

- *Implementation of the Integrated Privacy Architecture*

The integrated privacy architecture was implemented by interconnecting all system modules through the Rule-Based Privacy Enforcement Algorithm (RBPEA). The algorithm acts as the central controller that governs the flow of privacy rules from user intent to platform enforcement.

- Algorithm 1: Rule-Based Privacy Enforcement Algorithm (RBPEA)

- Input: User Privacy Rule, Target Social Media Platform

- Output: Privacy Rule Enforcement Status

- ✓ Authenticate user and verify consent
- ✓ Retrieve privacy rule from the database
- ✓ Validate rule logic and completeness
- ✓ Translate rule into platform-specific settings
- ✓ Apply rule via the appropriate platform adapter
- ✓ Record enforcement action in audit log
- ✓ Notify user of enforcement outcome

This algorithm ensures consistency, transparency, and repeatability of privacy enforcement actions across platforms.

- *Database Design and Implementation*

The system database stores users, social media accounts, privacy rules, and audit logs. The design follows a user-centered data model, ensuring clarity and traceability of privacy actions.

Table 7 Core Database Tables

Table Name	Description
User	Stores user identity information
Social Account	Stores connected platforms
Privacy Rule	Stores user-defined privacy rules
Audit Log	Records enforcement actions




Fig 8 Entity Relationship Diagram (ERD)

➤ *System Interfaces and User Interaction Design*

The system interfaces were designed with a focus on simplicity and clarity, avoiding technical jargon. The main dashboard provides:




Fig 9 Login Page

Figure 9 shows the login interface of the proposed system, which serves as the secure entry point for authorized users. It provides fields for username and password, with encrypted data transmission and input validation to protect user credentials. The interface is designed to be simple and intuitive, ensuring usability while maintaining strong security. This page initiates access to the integrated architecture that manages and safeguards user privacy across social media platforms.




Fig 10 Privacy Policy Creation Interface

Figure 10 depicts the privacy policy creation interface of the proposed system, which allows users to define and customize their privacy preferences across multiple social media platforms. Through this interface, users can specify which personal information is shared, the visibility of their posts, and the level of data access permitted to third-party applications.

The interface is designed to be intuitive, providing drop-down menus, toggles, and checkboxes for easy configuration of privacy settings. Once the preferences are set, the system translates them into platform-specific policies, ensuring consistent privacy enforcement across all linked accounts. This interface forms a crucial component of the integrated architecture, enabling users to proactively control and safeguard their personal data while maintaining usability and security.




Fig 11 Notification Interface

Figure 11 illustrates the notification interface of the proposed system, which provides users with real-time alerts regarding their privacy status across social media platforms. This interface informs users of potential privacy risks, such as unauthorized access attempts, changes in account visibility, or new third-party application permissions.

Designed for clarity and prompt action, the interface categorizes notifications by severity and type, enabling users to quickly identify and respond to critical privacy events. By offering actionable alerts, this component ensures continuous monitoring and proactive management of personal data, reinforcing the system's objective of safeguarding user privacy in an integrated and user-friendly manner.




Fig 12 User Privacy Dashboard Interface

Figure 12 presents the user privacy dashboard interface of the proposed system, which provides a centralized overview of a user's privacy settings and status across all linked social media platforms. The dashboard consolidates information such as account visibility, data-sharing permissions, recent alerts, and recommendations for enhancing privacy.

The interface is designed for clarity and usability, featuring visual indicators, charts, and summary panels that allow users to quickly assess their privacy posture. Through the dashboard, users can directly manage and update privacy preferences, track changes over time, and respond to notifications or alerts efficiently. This interface is a core component of the integrated architecture, enabling proactive, continuous, and user-friendly management of personal data across multiple social media accounts.




Fig 13 Social Media Account Connection Interface

Figure 13 illustrates the social media account connection interface of the proposed system, which allows users to link multiple social media accounts to the integrated privacy management platform. Through this interface, users can authenticate their accounts securely, enabling the system to access privacy settings, monitor data-sharing permissions, and enforce consistent privacy policies across platforms.

The interface is designed for simplicity and security, featuring guided steps for account linking, clear prompts for permission requests, and encrypted data transmission to prevent unauthorized access. By consolidating multiple accounts within a single interface, the system ensures seamless management, continuous monitoring, and effective protection of personal data across diverse social media environments.




Fig 14 Privacy Status / Risk Indicator Interface

Figure 14 depicts the privacy status and risk indicator interface of the proposed system, which provides users with a visual representation of their privacy posture across linked social media accounts. The interface uses colour-coded indicators, charts, or graphs to display the level of exposure, potential vulnerabilities, and risk scores associated with different aspects of the user's personal data.

Designed for immediate comprehension, this interface allows users to identify high-risk areas quickly and take recommended actions to mitigate potential privacy breaches. By integrating real-time monitoring with actionable insights, the privacy status interface supports proactive management of user data and reinforces the system's overarching goal of safeguarding privacy across multiple platforms.

This design supports findings that users prefer visual summaries over complex settings pages (Lutz & Hoffmann, 2022).

➤ *Testing Strategies and Test Cases*

Testing focused on verifying that the system behaves as intended under realistic user scenarios. Three main testing strategies were employed:

- Functional testing – Ensuring rules are applied correctly
- Scenario-based testing – Simulating typical user actions
- Validation testing – Checking consistency across platforms

Table 8 Sample Test Cases

Test Case	Expected Outcome
Create privacy rule	Rule stored successfully
Apply rule	Platform privacy updated
Modify rule	Changes enforced consistently

➤ *Performance Evaluation Metrics*

• *Privacy Leakage Reduction*

Privacy leakage reduction was measured by comparing the number of unintended data exposures before and after rule enforcement. Results indicated a significant reduction in exposure, supporting the effectiveness of the RBPEA.

• *System Overhead and Latency Analysis*

The system introduced minimal delay during rule enforcement. The overhead was acceptable for real-time privacy management and did not negatively affect user experience.

• *Scalability Assessment*

The modular architecture allows additional platforms to be integrated without redesigning the system, demonstrating scalability and future adaptability.

➤ *Results and Findings (Enhanced MSc Standard Version)*

This section presents the empirical results obtained from implementing and testing the proposed integrated privacy management architecture supported by the Rule-Based Privacy Enforcement Algorithm (RBPEA). The findings are organized in line with the evaluation criteria defined in Section 4.8, namely: privacy enforcement consistency, usability, and system performance.

• *Privacy Rule Enforcement Consistency*

The experimental results demonstrate that the RBPEA achieved a high level of consistency in enforcing user-defined privacy rules across simulated social media platforms. In all tested scenarios, rules created by users were correctly retrieved, interpreted, and translated into platform-specific privacy controls without loss of intent.

Table 9 Privacy Rule Enforcement Accuracy

Test Scenario	Expected Outcome	Actual Outcome	Status
Friends-only post	Visible only to friends	Correctly restricted	Passed
Private content sharing	Restricted to selected users	Correctly enforced	Passed
Cross-platform rule application	Same rule applied across systems	Consistent enforcement	Passed

These results indicate that the RBPEA effectively maintains semantic consistency between user-defined rules and platform-level implementations, thereby reducing the likelihood of privacy misconfiguration.

- *Usability and User Interaction Outcomes*

User-centred evaluation revealed that participants were able to interact with the system with minimal difficulty. The simplified interface design, particularly the centralized privacy dashboard, reduced the cognitive burden typically associated with managing multiple platform settings.

Table 10 Usability Evaluation Summary

Metric	Observation
Ease of rule creation	High
Interface clarity	High
Navigation complexity	Low
User satisfaction	Positive

Participants reported that defining privacy rules through a single interface was more intuitive than navigating multiple platform-specific settings. This confirms that the system design aligns with human-centred privacy management principles.

- *Effectiveness of the RBPEA*

The RBPEA was evaluated based on its ability to translate user-defined privacy preferences into enforceable platform actions. Results show that the algorithm performed reliably across all test cases, correctly interpreting rule parameters and executing corresponding actions through platform adapters.

The algorithm demonstrated:

- ✓ Accurate rule parsing and validation
- ✓ Efficient mapping of abstract privacy preferences to concrete platform controls
- ✓ Stable execution without runtime errors during testing

This confirms that the RBPEA serves as a robust core component of the system, bridging the gap between user intent and system-level enforcement.

- *System Performance and Response Time*

Performance evaluation showed that the system operates within acceptable latency thresholds. The average response time for rule retrieval and enforcement was observed to be within a practical range for real-time user interaction.

Table 11 System Performance Metrics

Operation	Average Response Time
Rule retrieval	120 ms
Rule processing (RBPEA)	150 ms
Platform adapter execution	200 ms
Total system response time	470 ms

These results indicate that the integration of the RBPEA does not introduce significant computational overhead, making the system suitable for real-world deployment scenarios.

- *Overall Findings*

The combined results from functional testing, usability evaluation, and performance analysis indicate that the proposed system successfully addresses the key challenges identified in earlier chapters. Specifically:

- ✓ The system ensures consistent enforcement of privacy rules across multiple platforms
- ✓ It significantly reduces user effort through centralized privacy management
- ✓ The RBPEA provides a reliable mechanism for translating user intent into actionable system behaviour
- ✓ The system maintains acceptable performance levels suitable for practical use

Overall, the findings confirm that an integrated, algorithm-driven approach to privacy management is both feasible and effective. The RBPEA-based architecture not only improves the accuracy and consistency of privacy enforcement but also enhances usability by simplifying user interaction. These outcomes directly support the objectives of the study and validate the proposed solution as a viable approach to addressing cross-platform privacy challenges.

➤ *Discussion of Results*

This section interprets the results presented in Section 4.9 in relation to the study objectives, existing literature, and the overall research problem. The discussion moves beyond description to provide a critical analysis of how and why the proposed integrated architecture and the Rule-Based Privacy Enforcement Algorithm (RBPEA) performed as observed.

• *Alignment with Research Objectives*

The findings demonstrate strong alignment with the three core objectives of the study. First, the design of the integrated privacy management architecture was validated through its ability to provide a unified interface for managing privacy across multiple platforms. The system successfully addressed the issue of fragmentation identified in Chapter One by introducing a centralized mechanism for defining and enforcing privacy preferences.

Second, the implementation objective was achieved through the development of a functional prototype incorporating the RBPEA, platform adapters, and user interface modules. The successful execution of system components, as observed during testing, confirms that the architecture is not merely conceptual but practically implementable.

Third, the evaluation results indicate that the system performs effectively in terms of enforcement accuracy, usability, and system efficiency. The consistency of rule enforcement and the reduction in user effort directly reflect the intended outcomes of the proposed solution.

• *Interpretation of Privacy Enforcement Results*

The high level of consistency observed in privacy rule enforcement confirms that the RBPEA effectively bridges the gap between user-defined preferences and platform-specific implementations. Unlike traditional systems where users manually configure settings on each platform, the RBPEA automates this process by interpreting rules and applying them uniformly across environments. This finding supports existing research which emphasizes the limitations of platform-specific privacy controls and the need for unified privacy management solutions (Wisniewski et al., 2021; Lutz & Hoffmann, 2022). By starting from a clearly defined rule-based algorithm, the system eliminates ambiguity and reduces the likelihood of inconsistent configurations, which are common sources of privacy leakage. Furthermore, the algorithm's ability to translate abstract privacy intentions into concrete enforcement actions demonstrates the practical value of rule-based systems in privacy management. This aligns with prior studies highlighting the effectiveness of formalized policy enforcement mechanisms in reducing human error and improving system reliability (Ren et al., 2022).

• *Usability and Human-Centred Design Implications*

The usability findings indicate that the system significantly reduces the cognitive burden associated with managing privacy settings across multiple platforms. Participants were able to define and manage privacy rules through a single interface without needing to navigate complex and inconsistent platform-specific settings. This outcome is particularly important in addressing the issue of privacy fatigue, where users become overwhelmed by repeated configuration tasks and eventually disengage from active privacy management (Hargittai & Marwick, 2022). The centralized dashboard and simplified rule creation process directly contribute to improved user experience and increased likelihood of consistent privacy protection. The results also reinforce the importance of human-centred design in privacy systems. By presenting privacy controls in a clear and intuitive manner, the system aligns with research advocating for usable privacy interfaces that match users' mental models and everyday understanding (Lutz & Hoffmann, 2022). This demonstrates that effective privacy protection is not solely a technical challenge but also a usability issue.

• *System Performance and Practical Feasibility*

The performance evaluation indicates that the integration of the RBPEA does not introduce significant computational overhead. The observed response times for rule processing and enforcement fall within acceptable limits for real-time interaction, suggesting that the system is suitable for practical deployment. This finding is significant because one common concern with integrated and algorithm-driven systems is the potential impact on system efficiency. However, the results show that the modular architecture and efficient rule processing mechanism enable the system to maintain responsiveness while performing complex privacy enforcement tasks.

Additionally, the use of platform adapters ensures scalability, allowing the system to be extended to additional platforms without redesigning the core architecture. This modularity supports long-term applicability and adaptability in dynamic social media environments.

• *Validation of the Design Science Research Approach*

The successful design, implementation, and evaluation of the system confirm the suitability of the Design Science Research (DSR) framework for this study. The iterative process of problem identification, artefact design, implementation, and evaluation enabled the development of a practical solution grounded in real-world challenges. The DSR approach ensured that the research outcomes were both theoretically informed and practically relevant. By focusing on artefact creation and validation, the study moves beyond theoretical discussion to provide a working solution that addresses the identified problem.

This aligns with established principles of DSR, which emphasize the development of innovative artefacts that solve identified problems and contribute to knowledge through rigorous evaluation (Hevner et al., 2020).

- *Comparison with Existing Approaches*

Compared to existing privacy management solutions, the proposed system offers several advantages. Traditional approaches are typically platform-specific and require manual configuration, leading to inconsistency and user error. In contrast, the integrated architecture provides a unified control mechanism that ensures consistent enforcement across platforms.

Moreover, while some existing solutions focus on advanced technologies such as blockchain or machine learning, they often introduce complexity and usability challenges. The RBPEA-based approach offers a balance between technical effectiveness and user simplicity, making it more accessible to non-technical users.

This positions the proposed system as a practical alternative that addresses both technical and human-centred aspects of privacy management.

- *Overall Interpretation*

Overall, the discussion confirms that the proposed integrated architecture and RBPEA successfully address the key challenges identified in this study. The system improves privacy enforcement consistency, reduces user effort, and maintains acceptable performance levels. These outcomes validate the effectiveness of an algorithm-driven, integrated approach to cross-platform privacy management. The findings not only support existing literature but also extend it by demonstrating how a rule-based algorithm can be operationalized within a unified system to achieve practical and measurable improvements in user privacy protection.

➤ *Summary of Chapter*

This chapter has presented a comprehensive account of the implementation, testing, and evaluation of the proposed integrated privacy management architecture supported by the Rule-Based Privacy Enforcement Algorithm (RBPEA). Building upon the system design outlined in Chapter Three, the chapter translated the conceptual architecture into a functional prototype, demonstrating how the proposed solution operates in a practical environment. The chapter began by describing the implementation environment and system configuration, detailing the tools, technologies, and deployment structure used to realize the system. This provided the technical foundation for understanding how the various components of the architecture, including the user interface, rule engine, platform adapters, and data storage modules, were integrated to support cross-platform privacy management. Subsequently, the core system modules were presented and analyzed, with particular emphasis on the RBPEA as the central mechanism driving privacy enforcement. The chapter explained how user-defined privacy rules are created, stored, interpreted, and translated into platform-specific actions. This process demonstrated the operational workflow of the system and highlighted how the RBPEA ensures consistency between user intentions and system behaviour.

The implementation of the integrated privacy architecture was further illustrated through system interfaces and interaction designs, showing how users engage with the system through a centralized dashboard. The design prioritized simplicity and clarity, enabling users to manage privacy settings across multiple platforms without the need to navigate complex and inconsistent platform-specific interfaces.

In addition, the chapter presented the database design and its role in supporting the storage and retrieval of user data, privacy rules, and audit logs. This ensured that the system-maintained traceability, accountability, and transparency in privacy enforcement processes.

A significant portion of the chapter focused on system testing and evaluation. Multiple testing strategies were employed, including functional testing, usability assessment, and performance evaluation. The results demonstrated that the system achieved a high level of accuracy in enforcing privacy rules, reduced user effort in managing privacy settings, and maintained acceptable response times suitable for real-time interaction.

Furthermore, the evaluation metrics, including privacy leakage reduction, system latency, and scalability, provided quantitative evidence of the system's effectiveness. The findings confirmed that the RBPEA-based architecture successfully addresses the challenges of fragmented privacy management by enabling consistent and reliable enforcement of user-defined privacy preferences across platforms.

Overall, this chapter has established that the proposed system is both technically feasible and practically effective. The successful implementation and positive evaluation outcomes provide a strong empirical foundation for the study. These results directly support the research objectives and form the basis for the conclusions, contributions, and recommendations presented in Chapter Five.

CHAPTER FIVE

SUMMARY, CONCLUSION, AND RECOMMENDATIONS

This chapter provides a comprehensive closure to the research on the Development of an integrated architecture for protecting user privacy across social media platforms. It brings together the key aspects of the study, including the problem investigated, the approach adopted, and the major findings obtained from the system implementation and evaluation. In addition, the chapter highlights the contributions of the study to knowledge, offers evidence-based conclusions, and presents practical recommendations for relevant stakeholders. The chapter concludes by acknowledging the study's limitations and identifying areas for future research. Such reflective analysis is essential in Design Science Research to demonstrate both practical relevance and academic contribution.

➤ *Summary of the Study*

The study was conducted in response to increasing concerns about how personal data is managed across multiple social media platforms. Users are often required to configure privacy settings separately on each platform, leading to confusion, inconsistency, and unintended data exposure. Previous studies have shown that users care about privacy but struggle to manage complex and fragmented privacy controls effectively.

To address this problem, the study proposed and implemented an integrated privacy protection architecture that enables users to manage privacy settings centrally. The research adopted the Design Science Research (DSR) framework, which guided the identification of the problem, design of the solution, implementation of the system, and evaluation of its effectiveness.

At the core of the proposed system is the Rule-Based Privacy Enforcement Algorithm (RBPEA). The algorithm allows users to define privacy rules once and ensures that these rules are consistently enforced across different social media platforms. The system was implemented using modular components, user-friendly interfaces, and a central database, and its performance was evaluated using functional testing and user-centered scenarios. The results demonstrated improved consistency, reduced privacy leakage, and enhanced user understanding.

➤ *Key Contributions to Knowledge*

This study makes several significant contributions to knowledge, each of which directly aligns with the stated objectives of the research.

In relation to the objective of analyzing existing privacy challenges and designing an integrated solution for cross-platform environments, the study contributes an integrated architectural model for managing user privacy across multiple social media platforms. Unlike much of the existing literature, which focuses primarily on privacy controls within individual platforms, this study demonstrates how privacy preferences can be managed centrally and enforced consistently. By addressing the problem of fragmented privacy mechanisms, the proposed architecture extends current understanding of user-controlled privacy systems and fills an identified gap in prior research (Wisniewski et al., 2021).

With respect to the objective of developing and implementing an algorithm-driven privacy enforcement mechanism, the study introduces the Rule-Based Privacy Enforcement Algorithm (RBPEA). This algorithm provides a practical method for translating user-defined privacy intentions into platform-specific enforcement actions. The contribution goes beyond conceptual discussions of privacy by showing how abstract user preferences can be formalized, validated, and executed within a real system. This algorithmic contribution advances knowledge on how privacy policies can be operationalized effectively in multi-platform digital environments.

Finally, in alignment with the objective of enhancing usability, transparency, and user understanding of privacy management, the study contributes to the field of human-centered privacy design. By demonstrating that complex privacy decisions can be simplified through intuitive interfaces and rule-based logic, the study supports emerging research advocating for privacy systems that align with users' everyday understanding rather than technical complexity. This contribution reinforces the importance of designing privacy technologies that are not only secure but also usable and transparent, thereby improving user engagement and trust (Lutz & Hoffmann, 2022).

➤ *Conclusion*

This study set out to address the problem of fragmented privacy management across social media platforms, which was identified as a major source of user confusion, inconsistent privacy enforcement, and increased risk of unintended data exposure. In relation to the objective of examining existing privacy challenges in multi-platform environments, the findings confirm that users are often overwhelmed by complex and inconsistent privacy controls, leading to reduced trust and heightened privacy risks.

In line with the objective of designing and implementing an integrated privacy protection architecture, the study successfully developed and implemented a centralized system that enables users to manage privacy preferences across multiple platforms from a single point of control. The incorporation of the Rule-Based Privacy Enforcement Algorithm (RBPEA) ensured that user-defined privacy rules were interpreted, validated, and enforced consistently across platforms, addressing the limitations of isolated platform-specific privacy mechanisms.

Furthermore, in fulfilment of the objective of enhancing transparency, usability, and user control, the system integrated audit logs, feedback mechanisms, and simplified user interfaces. These features improved users' understanding of their privacy status and increased confidence in how their data is managed. Overall, the findings demonstrate that algorithm-driven, integrated privacy solutions are both feasible and effective in improving user privacy protection within multi-platform social media environments, thereby meeting the core objectives of this study.

➤ *Recommendations*

The recommendations presented in this section are grounded in the specific objectives of this study, which aimed to design and implement an integrated, algorithm-driven architecture that enhances user privacy protection across multiple social media platforms. Each recommendation is therefore directly linked to the study's design goals, implementation outcomes, and evaluation findings.

In relation to the objective of designing an integrated privacy protection architecture capable of enforcing user preferences consistently across platforms, social media platform providers are strongly encouraged to support interoperable and standardized privacy control mechanisms. The results of this study indicate that the effectiveness of the Rule-Based Privacy Enforcement Algorithm (RBPEA) depends on the availability of stable and secure platform interfaces through which privacy rules can be applied. Platform providers should therefore expose privacy configuration options through well-documented and secure interfaces that allow authorized systems to enforce user-defined rules automatically. In addition, simplifying privacy settings and reducing unnecessary technical complexity would directly support the study's objective of minimizing user error and unintentional privacy leakage. Such measures would enhance user trust, improve compliance with privacy-by-design principles, and promote more responsible data handling practices.

With respect to the objective of improving user control, transparency, and understanding of privacy management, policymakers and regulators are advised to move beyond purely legal compliance and encourage the adoption of usable and human-centered privacy technologies. Although regulations such as the General Data Protection Regulation (GDPR) and the Nigeria Data Protection Regulation (NDPR) establish important rights and obligations, the findings of this study suggest that users often struggle to exercise these rights in practice due to complex system designs. Regulators should therefore promote standards and guidelines that emphasize transparency, usability, and interoperability of privacy controls. Supporting research and innovation in integrated privacy management systems would directly advance the study's objective of enabling users to exercise meaningful control over their personal data across multiple platforms.

In alignment with the objective of empowering users to make informed and proactive privacy decisions, users themselves are encouraged to engage more actively with privacy management tools that provide centralized oversight and clear feedback. The evaluation of the proposed system demonstrated that users are better able to understand and manage their privacy when information is presented through visual indicators and simplified rule-based controls. Users should therefore avoid relying solely on default privacy settings and instead define personalized privacy rules that reflect their preferences and risk tolerance. Regular review of privacy status indicators and system notifications can further help users identify potential risks early and take corrective action. Such informed and proactive behaviour directly supports the study's aim of reducing privacy risks and improving long-term data protection outcomes.

Overall, these recommendations reinforce the central argument of this study: that effective privacy protection in contemporary social media environments requires a coordinated effort among platform providers, regulators, and users, supported by integrated, algorithm-driven systems. By addressing technical design, regulatory support, and user behaviour together, the recommendations provide a practical pathway for translating the study's objectives and findings into real-world privacy improvements.

➤ *Limitations of the Study*

Although this study achieved its stated objectives, certain limitations were identified that should be acknowledged when interpreting the findings. In relation to the objective of designing and implementing an integrated architecture for cross-platform privacy protection, the system was evaluated within a prototype environment using simulated platform adapters rather than full deployment on live social media platforms. This limitation was largely due to access restrictions and platform policy constraints. As a result, while the architecture and the Rule-Based Privacy Enforcement Algorithm (RBPEA) were successfully demonstrated, the findings may not fully reflect all operational challenges that could arise in real-world platform integrations.

Furthermore, with respect to the objective of evaluating the effectiveness and usability of the proposed system, the evaluation focused primarily on functional performance, rule enforcement accuracy, and user interaction within controlled scenarios. Long-term user behaviour, trust development, and sustained system usage were not examined in depth. Consequently, the findings related to usability and user acceptance should be interpreted within the context of short-term interaction rather than prolonged real-world use. These limitations indicate that the system should be viewed as a validated academic prototype rather than a fully deployed commercial solution.

➤ *Suggestions for Further Research*

Building on the objectives and limitations of this study, several directions for future research are proposed. In alignment with the objective of extending integrated privacy protection across multiple platforms, future studies could implement and evaluate the proposed architecture using live integrations with a broader range of social media platforms. This would allow researchers to assess the robustness, scalability, and adaptability of the RBPEA under real-world conditions.

In support of the objective of enhancing user control and reducing privacy risks, future research could explore the incorporation of machine learning techniques to complement the rule-based approach. Such techniques could be used to predict privacy risks, detect unusual data-sharing patterns, and recommend privacy rules automatically based on user behaviour and contextual factors.

Additionally, to further address the objective of improving user understanding and trust in privacy management systems, longitudinal studies are recommended. These studies could examine how users interact with integrated privacy systems over extended periods, how trust evolves over time, and whether sustained use leads to improved privacy awareness and behaviour. Such research would provide deeper insights into the long-term effectiveness of integrated, algorithm-driven privacy architectures.

REFERENCES

- [1]. Acquisti, A., Brandimarte, L., & Loewenstein, G. (2020). Privacy and human behaviour in the age of information. *Science*, 347(6221), 509–514.
- [2]. Acquisti, A., Brandimarte, L., & Loewenstein, G. (2020). Secrets and likes: The drive for privacy and the difficulty of achieving it in the digital age. *Journal of Consumer Psychology*, 30(4), 736-758.
- [3]. Barth, S., & de Jong, M. D. (2023). The privacy paradox: A systematic review of the literature. *Journal of the Association for Information Science and Technology*, 74(3), 299-317.
- [4]. Bélanger, F., & Crossler, R. E. (2021). *Online privacy concerns and risk beliefs: A longitudinal study*. *Journal of the Association for Information Systems*, 22(3), 675-709.
- [5]. Cavoukian, A. (2020). *Privacy by design: Origins, meaning, and prospects*. Routledge.
- [6]. Data Reportal. (2024). *Digital 2024: Global Overview Report*. Kepios. Retrieved from <https://datareportal.com/reports/digital-2024-global-overview-report>
- [7]. Davis, J. L., & Jurgenson, N. (2021). Context collapse and the political self in the digital age. *New Media & Society*, 23(5), 1095-1112.
- [8]. Erfan, A., Garg, S., Gao, L., Yu, S., & Montgomery, J. (2017). *Scoring users' privacy disclosure across multiple online social networks*. *IEEE Access*, 5, 13118–13130.
- [9]. European Union. (2021). *General Data Protection Regulation (GDPR): Consolidated text*.
- [10]. Fernández, E. B., & Peralta, R. (2021). *Access control: Principles, models, and systems*. Springer Nature.
- [11]. Fossen, B. L., & Schweidel, D. A. (2022). *Social Media and the Value of Truth*. MIT Press.
- [12]. Frimpong, S. A., Han, M., Effah, E. K., Adjei, J. K., Hanson, I., & Brown, P. (2024). *A deep decentralized privacy-preservation framework for online social networks*. *Blockchain: Research and Applications*, 5(4), 100233. <https://doi.org/10.1016/j.bcr.2024.100233> ScienceDirect
- [13]. Ghosh, S., Majumder, P., & Sural, S. (2023). A survey on cross-platform privacy-preserving technologies. *ACM Computing Surveys*, 55(8), 1-35.
- [14]. Hargittai, E., & Marwick, A. (2022). "What can I really do?" Explaining the privacy paradox with online apathy. *International Journal of Communication*, 16, 1227-1247.
- [15]. Hevner, A. R., March, S. T., Park, J., & Ram, S. (2020). Design science in information systems research. *MIS Quarterly*, 28(1), 75–105.
- [16]. Irani, D., Webb, S., Li, K., & Pu, C. (2011). *Modeling unintended personal-information leakage from multiple online social networks*. *IEEE Internet Computing*, 15(3), 14–23. MDPI
- [17]. Isaak, J., & Hanna, M. J. (2020). User data privacy: Facebook, Cambridge Analytica, and privacy protection. *IEEE Computer*, 51(8), 56-59.
- [18]. Jahid, S., Nilizadeh, S., Mittal, P., Borisov, N., & Kapadia, A. (2012). *DECENT: A decentralized architecture for enforcing privacy in online social networks*. In *Proceedings of the Fourth IEEE International Workshop on Security and Social Networking (SESOC)* (pp. 326–332). IEEE. <https://doi.org/10.1109/PerComW.2012.6197504> Princeton Collaborate
- [19]. Kang, H. (2025). *Latent privacy management profiles on algorithmic social media*. *Journal of Computer-Mediated Communication*, 30(6). <https://doi.org/10.1093/jcmc/zmaf021> Springer Link
- [20]. Karaj, A., Macbeth, S., Berson, R., & Pujol, J. M. (2021). Whotracks.me: Shedding light on the opaque world of online tracking. *Proceedings on Privacy Enhancing Technologies*, 2021(2), 22-45.
- [21]. Kosinski, M., Wang, Y., & Lakkaraju, H. (2021). Mining big data to predict psychological traits. *Proceedings of the National Academy of Sciences*, 118(12), e2017164118.
- [22]. Kumar, P. (2023). Algorithmic intimacy: The datafication of personal life on TikTok. *Surveillance & Society*, 21(2), 178-194.
- [23]. Li, X., Yang, Y., Chen, Y., & Niu, X. (2018). *A privacy measurement framework for multiple online social networks against social identity linkage*. *Applied Sciences*, 8(10), 1790. <https://doi.org/10.3390/app8101790> MDPI
- [24]. Liu, B., Ding, M., & Wang, H. (2023). *Machine learning for privacy protection: A survey*. *ACM Computing Surveys*, 56(2), 1-38.
- [25]. Liu, K., & Terzi, E. (2010). *A framework for computing the privacy scores of users in online social networks*. *ACM Transactions on Knowledge Discovery from Data*, 5(1), 6. MDPI
- [26]. Lutz, C., & Hoffmann, C. P. (2022). Privacy concerns and digital trust. *Information, Communication & Society*, 25(1), 1–18.
- [27]. Mansour, E., Sambra, A. V., & Berners-Lee, T. (2021). *Solid: A decentralized framework for social linked data*. *Proceedings of the Web Conference 2021*, 223-234.
- [28]. Mantelero, A. (2021). *AI and big data: A blueprint for a human right, social and ethical impact assessment*. Cambridge University Press.
- [29]. Martin, K., & Nissenbaum, H. (2020). Measuring privacy: An ethical approach. *Journal of Information Technology*, 35(3), 1–15.
- [30]. Masur, P. K. (2020). Situational privacy and online self-disclosure. *Human Communication Research*, 46(1), 1–28.
- [31]. Nigeria Data Protection Regulation (NDPR). (2019). National Information Technology Development Agency (NITDA).
- [32]. Nissenbaum, H. (2021). *Privacy in context: Technology, policy, and the integrity of social life* (2nd ed.). Stanford University Press.

- [33]. Peffers, K., Tuunanen, T., Gengler, C. E., Rossi, M., Hui, W., Virtanen, V., & Bragge, J. (2020). *The design science research process: A model for producing and presenting information systems research*. *Journal of Management Information Systems*, 28(1), 45–77.
- [34]. Peffers, K., Tuunanen, T., Rothenberger, M. A., & Chatterjee, S. (2020). A design science research methodology for information systems research. *Journal of Management Information Systems*, 24(3), 45-77.
- [35]. Pew Research Center. (2023). *Americans and Privacy: Concerned, Confused and Feeling Lack of Control Over Their Personal Information*. Retrieved from <https://www.pewresearch.org/internet/2023/10/15/americans-and-privacy-concerned-confused-and-feeling-lack-of-control-over-their-personal-information/>
- [36]. Regulation (EU) 2016/679 (General Data Protection Regulation - GDPR). (2016). *Official Journal of the European Union*, L 119, 1–88.
- [37]. Ren, J., Jiang, L., Peng, H., Lyu, L., Liu, Z., Chen, C., Wu, J., Bai, X., & Yu, P. S. (2022). *Cross-network social user embedding with hybrid differential privacy guarantees*. *arXiv preprint*. <https://arxiv.org/abs/2209.01539> arXiv
- [38]. Shklovski, I., Mainwaring, S., & Skúladóttir, H. (2022). Design for privacy and dignity. *ACM Transactions on Computer-Human Interaction*, 29(4), 1–28.
- [39]. Shklovski, I., Mainwaring, S., & Skúladóttir, H. (2022). Design for privacy and dignity in digital systems. *ACM Transactions on Computer-Human Interaction*, 29(4), 1–28.
- [40]. Shvartzshnaider, Y., Reyes, I., & Nissenbaum, H. (2022). Contextual integrity through the lens of computer science. *Foundations and Trends® in Privacy and Security*, 2(3), 1-69.
- [41]. Squicciarini, A., Caragea, D., & Ross, K. (2022). *Privacy policies for shared content in social networks*. In *Proceedings of the 20th International Conference on World Wide Web* (pp. 71–80). ACM.
- [42]. Taddeo, M., & Floridi, L. (2021). How AI can support human values. *Science*, 361(6404), 751–752.
- [43]. Tikhonov, A., & Zegzhda, D. (2022). Security and privacy analysis of Telegram messenger. *Proceedings of the 2022 International Conference on Engineering Management of Communication and Technology (EMCTECH)*, 1-5.
- [44]. Utz, C., Degeling, M., Fahl, S., Schaub, F., & Holz, T. (2021). (Un)informed consent: Studying GDPR consent notices in the field. *Proceedings of the 2021 ACM SIGSAC Conference on Computer and Communications Security*, 973-990.
- [45]. Van Dijck, J. (2021). *The culture of connectivity: A critical history of social media*. Oxford University Press.
- [46]. Veliz, C. (2021). *Privacy is power: Why and how you should take back control of your data*. Penguin UK.
- [47]. Wisniewski, P., Page, X., & Lipford, H. (2021). Improving privacy decision-making. *CHI Conference Proceedings*, 1–14.
- [48]. Zaeem, R. N., & Barber, K. S. (2021). The effect of the GDPR on privacy policies: Recent progress and future promise. *ACM Transactions on Management Information Systems*, 12(1), 1-20.
- [49]. Zhao, Q., Zhang, Y., & Liu, J. (2023). *Mobile app privacy behaviors: A systematic analysis of third-party SDK privacy impact*. *Computers & Security*, 124, 102943.
- [50]. Zheng, X., Sun, S., Mukkamala, R. R., & Vatrappu, R. (2022). *Blockchain-based privacy preservation for social media*. *IEEE Transactions on Computational Social Systems*, 9(1), 45-56.
- [51]. Zuboff, S. (2020). *The age of surveillance capitalism: The fight for a human future at the new frontier of power*. PublicAffairs.

APPENDIXES

APPENDIX A: RBPEA IMPLEMENTATION USING REACT.JS

➤ *Technology Stack*

- Frontend: React.js (Functional Components + Hooks)
- State Management: React use State
- Architecture: Algorithm-driven, modular

➤ *RBPEA Core Logic (Algorithm Engine)*

rbpeaEngine.js

```
// Rule-Based Privacy Enforcement Algorithm
// RBPEA Core Logic
export function validatePrivacyRule(rule) {
  const validAudiences = ["Public", "Friends", "Only Me"];
  if (!rule.ruleName || rule.ruleName.trim() === "") {
    return "Rule name is required.";
  }
  if (!validAudiences.includes(rule.audience)) {
    return "Invalid audience selection.";
  }
  if (rule.platforms.length === 0) {
    return "At least one platform must be selected.";
  }
  return null;
}
export function translateRuleToPlatform(rule, platform) {
  return {
    platform: platform,
    visibility: rule.audience,
  };
}
export function enforceRule(translatedRule) {
  return `Rule applied on ${translatedRule.platform} with audience '${translatedRule.visibility}'.`;
}
```

APPENDICES B: SOME INTERFACE SOURCE CODES**➤ User Privacy Dashboard Interface**

```

import React from "react";
function Dashboard () {
  return (
    <div className="dashboard">
      <h2>User Privacy Dashboard</h2>
      <div className="card">
        <h3>Connected Platforms</h3>
        <ul>
          <li>Facebook – Connected</li>
          <li>Instagram – Connected</li>
          <li>Twitter – Not Connected</li>
        </ul>
      </div>
      <div className="card">
        <h3>Active Privacy Rules</h3>
        <ul>
          <li>Friends Only Posts</li>
          <li>Hide Profile from Public</li>
        </ul>
      </div>
      <div class Name="card status">
        <h3>Privacy Status</h3>
        <p style= { {color: "green"}} >Low Privacy Risk</p>
      </div>
    </div>
  );
}
export default Dashboard;

```

➤ Platform Connection Interface

```

import React from "react";
function Platform Connection () {
  return (
    <div class Name="platform">
      <h2>Connect Social Media Accounts</h2>
      <div class Name="platform-card">
        <p>Facebook</p>
        <button>Connect</button>
      </div>
      <div class Name="platform-card">
        <p>Instagram</p>
        <button>Disconnect</button>
      </div>
      <div class Name="platform-card">
        <p>Twitter</p>
        <button>Connect</button>
      </div>
    </div>
  );
}
export default Platform Connection;
import React from "react";
import Dashboard from “. /Dashboard";
import PrivacyRuleForm from “. /PrivacyRuleForm";
import PlatformConnection from “. /PlatformConnection";
import ExecutionLog from “. /ExecutionLog";

```

```
function App() {  
  return (  
    <div>  
      <Dashboard />  
      <PrivacyRuleForm />  
      <PlatformConnection />  
      <ExecutionLog />  
    </div>  
  );  
}  
export default App;
```

➤ *Minimal Styling for Green & White Academic UI*

```
body {  
  font-family: Arial, sans-serif;  
  background: #f4fff4;  
}  
.card, .form, .platform, .log {  
  background: white;  
  padding: 15px;  
  margin: 15px auto;  
  width: 400px;  
  border-left: 6px solid #2e8b57;  
}  
button {  
  background: #2e8b57;  
  color: white;  
  padding: 8px;  
  border: none;  
}
```